

VOL-4 DBR Annexure-II FINISHING SCHEDULE OF AIIMS GUWAHATI (ASSAAM)

LEGENDS	DETAILS
Wall Finishes	
WF -P1	OBD (with Primer coat(s) & Putty)
WF-P2	Plastic Emulsion(with Primer coat(s) & Putty)
WF-P3	Plastic Emulsion Matt Finish (with Primer coat(s) & Putty)
WF-P4	Texture Paint External Grade(with Primer coat(s) & Putty)
WF-P5	Acrylic Emulsion (with Primer coat(s) & Putty)
WF-P6	Anti Bacterial Paint (with Primer coat(s) & Putty)
WF -LP	Laminate Paneling (with all finish detail)
WF -G	Granite cladding
WF -G+P	Granite + Laminate Paneling
WF -T1	Glazed Ceramic Tile (300mmx600mm) or as specified in tender drawings or as directed by Engineer-in-charge
Floor Finishes & 100mm Skirting same as flooring	
FF-K	25mm thk Kota Stone Flooring (Size 550Mm X 550Mm or as directed by Engineer-in-Charge) (Mirror Polished In Internal Area And Normal Polished In Other Areas) With 10-15% White/Green Marble.
FF-K1	Polished Kota Stone In Single Piece In Tread(25mm thk), Riser (20mm thk) And Landing (25mm thk)
FF-VT	Vitrified Tiles (600mmx600mm or size as specified in drawing or as directed by Engineer-in-Charge) (double / multi charged/ full body)
FF-AT	Antiskid Ceramic Tiles (first quality) (300mmx300mm or as directed by Engineer-in-charge)
FF-AR	Acid Resistant Tiles
FF-G	Polished Granite(18mm thk) Flooring with pattern dark colour granite(18mm thk) or as directed by Engineer-in-Charge
FF-C	Carpet Flooring
FF-V	Vinyl 3mm thk anti static, anti conductive with seam less joints, skirting with coving. Vinyl Flooring laid over cement concrete flooring (IPS)
FF-HT	Heat Reflective Tile Flooring
FF-WL	Wood Laminate Flooring
FF-CT	22 mm thk Chequered Tiles
FF-IPS	OT Cement concrete flooring (IPS) + Flooring as Specified in Technical Specification of MOTs
Ceiling Finishes	
CF -P1	Putty + OBD
CF - GYP	Gypsum Ceiling
CF - GYP +C	Gypsum Ceiling With Cove
CF - CS	Calcium Silicate
CF - AT	Acoustic Tiles 600x600 Mineral Fiber NRC-.8 Grid Ceiling
CF - MT	GI Metal Seamless Tiles 600x600 Grid
CF - PP+C	Pop + Paint Finish With Cove
CF - P+P	Pop + Paint Finish
Structural Glazing	
SGS	Anodized Aluminum Frame With 8 Mm Thk GU
SGD	Anodized Aluminum Frame With 6-12-6 Mm Thk Dug And Grace Jall
GRC	Grace Jall
Railing	
	The MS railing shall be provided in Residential (Type-II & III), Hostels, Night Shelter and Services Blocks as per CPWD Specification and as directed by Engineer-In-Charge
	The Stainless Steel railing shall be provided in Hospital Building, Medical and Nursing College, AYUSH building, Director's Bungalow, Guest House, Auditorium, Cafeteria, Residential (Type-IV & above) and other locations as per CPWD Specification and as directed by Engineer-In-Charge
	Fire Escape Staircase : Railing to be MS as per CPWD Specification and as directed by Engineer-In-Charge
Doors and Windows	
	1) All doors in Hospital, Ayush Hospital and Medical & Nursing College shall be 2400 mm height (except toilet and service rooms, shall be 2100 high) with 1 mm thick laminate factory pressed on both sides of flush shutter (35mm) and 25mm minimum thk second class teak wood lipping all around. Vision panel of size as specified/required shall be provided, in shutters wherever directed, frames shall be powder coated Aluminum with unanodised aluminum sleeve inside (on hinge side only).
	2) X-ray rooms shall have lead lined door shutters and frame and lipping all around (as per specs)
	3) All electrical and communication niche's will be fire proof doors as per NBC 2016.
	4) All cupboards in Type IV, V, Director's Residence and Guest House) shall be Box type cupboards with 18mm marine ply/ Block board box, back will be 8mmPly, shelves will be 18mm pre-laminated exterior grade particle boards, Shutters shall be 25 mm thk Block Board with 1 mm thk laminate on both sides and 15 mm thk teak wood lipping.
	5) 2 hour fire rated doors shall be provided as per approved fire scheme and NBC 2016
	6) The above door specifications shall be read in conjunction with the approved detail drawings.
	7) Contractor will submit Architectural & shop drawings for approval as specified in the tender document before execution.
	8) Aluminum and press steel frame as per manufacturer specification/ CPWD specifications.
Public Toilet	
	Shower Area up to door lintel rest up to 2100/2400 mm or up to door lintel or as specified in tender drawings /DBR
Individual Toilet	
	Tile up to 2100 /2400 mm/ up to door lintel as specified in tender drawings/DBR
	Director residence till top to ceiling level
NOTE:	
1) Grooves of size 3mmX 3mm, shall be made in the treads of the staircases	
2) All above listed items shall conform to relevant CPWD Specification, VOL-4, Design Basis Report, VOL-5, Technical Specification & VOL-6, Tender Drawings	
3) Thickness, Size, Shape, Shade and quality of Kota Stone, Granite Stone, Ceramic Tiles, Vitrified Tiles, Vinyl Flooring, Wooden Flooring, False Ceiling work, Crash Guard etc. as specified in the tender document/drawings shall conform to CPWD Specifications, Design Basis Report, Technical Specifications (Vol-5), Tender Drawings and	
4) Paints finish as listed above shall be of only first quality of approved make and shade and shall conform to CPWD Specifications, Design Basis Report, Technical Specifications (Vol-5), Tender Drawings, GRIHA norms and as directed by Engineer-in-charge.	

DESCRIPTIONS	WALL FINISHES (DESIGN AS PER DRAWING)										FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING										CEILING FINISHES (DESIGN AS PER DRAWING + WOODEN TRAP DOOR)					DOOR	WINDOW	STRUCTURE GLAZING	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P6	WF-P&F	WF-T1	WF-G	WF-G+P	WF-LP	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-AR	FF-G	FF-W	FF-IPS	FF-V	CF-P1	CF-GYP	CF-GYP+C	CF-AT				CF-MT
														FF-VT (Anti-skid full body)										CF-GYP + Vinyl sky view panel					
Dosimetry Lab							WF-T1							FF-VT (Anti-skid full body)										CF-GYP		CF-AT			
Linac Room						WF-P6															FF-V		CF-GYP + Vinyl sky view panel						
CT Simulator						WF-P6															FF-V		CF-GYP + Vinyl sky view panel						
Brachy Therapy Holding Area					WF-P5																FF-V		CF-GYP		CF-AT				
Console Room					WF-P5																FF-V		CF-GYP						
BLOOD BANK																													
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (between over head st and counter)							FF-VT										CF-GYP					
Waiting Area					WF-P5		WF-T1							FF-VT (Anti-skid full body)										CF-GYP		CF-AT			
Refreshment, Pre Donor Screening					WF-P5									FF-VT										CF-GYP					
Sterile Zone, Wash & Sterile Store, Infectious Maker							WF-T1							FF-VT										CF-GYP		CF-AT			
Record Room					WF-P5									FF-VT									CF-P1	CF-GYP		CF-AT			
Aphaeresis, Serology					WF-P5									FF-VT										CF-GYP		CF-AT			
Component Lab							WF-T1							FF-VT (Anti-skid full body)										CF-GYP		CF-AT			
Phlebotomy							WF-T1							FF-VT										CF-GYP		CF-AT			
Doctor's Room, Consultant Room					WF-P5									FF-VT										CF-GYP		CF-AT			
BED																													
MAMA					WF-P5		WF-T1										FF-G							CF-GYP		CF-AT			
Waiting Area					WF-P5		WF-T1										FF-G							CF-GYP		CF-AT			
Medico Legal					WF-P5									FF-VT										CF-GYP					
Triage Area					WF-P5									FF-VT										CF-GYP					
Observation Beds					WF-P5		WF-T1 (Cladding up to 1350mm)							FF-VT										CF-GYP		CF-AT			
Trauma Center					WF-P5 above cladding up to ceiling		WF-T1 (Cladding up to 1350mm)							FF-VT										CF-GYP		CF-AT			
Holding Beds					WF-P5 above cladding up to ceiling		WF-T1 (Cladding up to 900mm)							FF-VT										CF-GYP					
Doctor's Room, Duty Doctor's Room, Nurse office					WF-P5 above cladding up to ceiling		WF-T1 (Cladding up to 900mm)							FF-VT										CF-GYP		CF-AT			
OT Rooms (Modular) By Vendor							WF-T1							FF-VT										CF-GYP					
Sterile Store, Medicine Store							WF-T1							FF-VT										CF-GYP					
X-Ray,					WF-P5									FF-VT										CF-GYP					
Ultrasound					WF-P5		WF-T1							FF-VT										CF-GYP					
Change Room, Plaster Room					WF-P5									FF-VT										CF-GYP					
Trauma Beds, Isolation Beds					WF-P5 above cladding up to ceiling		WF-T1 (Cladding up to 1350mm)							FF-VT										CF-GYP					
Patient Relative Waiting					WF-P5 above cladding up to ceiling		WF-T1 (Dado up to 900mm ht. with granite moulding)							FF-VT										CF-GYP					
Burn Ward						WF-P6	WF-T1 (Cladding up to 1350mm)							FF-VT (Anti-skid full body)										CF-GYP					
Incharge					WF-P5									FF-VT										CF-GYP		CF-AT			
Saline Bath							WF-T1							FF-VT										CF-GYP					
FIRST FLOOR PLAN																													
OUT PATIENT DEPARTMENT																													
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5 (balance area)		WF-T1 (between counter and overhead)							FF-VT										CF-GYP					
OPD Sub Waiting Areas					WF-P5		WF-T1							FF-VT										CF-GYP		CF-AT			
OPD Consultation room/Doctor/Junior Doctor/HOD/Assistant					WF-P5									FF-VT										CF-GYP		CF-AT			
Feeding Room/ Child Rehab. Clinic/ Immunization Clinic					WF-P5									FF-VT										CF-GYP					
Treatment Room					WF-P5									FF-VT										CF-GYP					
ECT, EEG, Urodynamic					WF-P5																FF-V		CF-GYP						
Minor OT						WF-P6															FF-V		CF-GYP						
Sample Collection (counter top granite finish with under & O.H. storage)					WF-P5		WF-T1 (Between counter and Over Head)							FF-VT										CF-GYP					
Demonstration Room					WF-P5									FF-VT										CF-GYP		CF-AT			
CHEMO DAYCARE																													
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (Between counter and Over Head)							FF-VT										CF-GYP		CF-AT			
Chemo Prep.					WF-P5									FF-VT										CF-GYP					
URN							WF-T1							FF-VT										CF-GYP					
Chemo Daycare Beds					WF-P5									FF-VT										CF-GYP					
Chemo Waiting					WF-P5		WF-T1							FF-VT										CF-GYP		CF-AT			
ENDOSCOPY																													
																								CF-GYP					

DESCRIPTIONS	WALL FINISHES (DESIGN AS PER DRAWING)											FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING										CEILING FINISHES (DESIGN AS PER DRAWING + WOODEN TRAP DOOR)					DOOR	WINDOW	STRUCTURE GLAZING
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P6	WF-P&F	WF-T1	WF-G	WF-G+P	WF-LP	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-AR	FF-G	FF-W	FF-IPS	FF-V	CF-P1	CF-GYP	CF-GYP+C	CF-AT	CF-MT			
Reception & Waiting					WF-P5		WF-T1							FF-VT				FF-G						CF-GYP	CF-AT				
Doctor's Room					WF-P5									FF-VT										CF-GYP	CF-AT				
Report Room					WF-P5									FF-VT										CF-GYP	CF-AT				
Per & Post Endo Beds					WF-P5									FF-VT										CF-GYP					
Endo Wash, Endo Store							WF-T1								FF-AT														
Endoscopy rooms, ERCP					WF-P5									FF-VT								FF-V		CF-GYP					
Console					WF-P5									FF-VT										CF-GYP					
LITHOTRIPSY																													
Reception & Waiting					WF-P5		WF-T1											FF-G						CF-GYP	CF-AT				
Holding Beds					WF-P5									FF-VT										CF-GYP					
Doctor's Room					WF-P5		WF-T1 (cladding up to 900mm with granite moulding above)							FF-VT										CF-GYP					
Lithotripsy Room					WF-P5																	FF-V		CF-GYP					
Console					WF-P5									FF-VT										CF-GYP					
DIALYSIS																													
Reception & Waiting					WF-P5		WF-T1											FF-G						CF-GYP	CF-AT				
Isolation Room						WF-P6								FF-VT										CF-GYP					
Dialysis Beds					WF-P5									FF-VT										CF-GYP					
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (between Over head and Counter)							FF-VT										CF-GYP	CF-AT				
Counseling Room					WF-P5		WF-T1 (cladding up to 900mm with granite moulding above)							FF-VT										CF-GYP					
Processing Room							WF-T1								FF-AT									CF-GYP					
Doctor's Room/ Tech. Room					WF-P5									FF-VT										CF-GYP	CF-AT				
Procedure Room							WF-T1							FF-VT										CF-GYP					
Change Room					WF-P5									FF-VT										CF-GYP					
Mixing Room, R/O Room							WF-T1								FF-AT								CF-P1						
HIV Patient Room					WF-P5		WF-T1 (Cladding up to 1350mm)							FF-VT										CF-GYP					
Hep. B Patient Room					WF-P5									FF-VT										CF-GYP					
LABORATORY																													
Reception & Waiting					WF-P5		WF-T1											FF-G						CF-GYP	CF-AT				
Sample Receiving Area					WF-P5									FF-VT										CF-GYP					
HOD Room, Pathologist					WF-P5									FF-VT										CF-GYP	CF-AT				
Laboratories							WF-T1										FF-AR							CF-GYP	CF-AT				
Media Prep.							WF-T1										FF-AR							CF-GYP	CF-AT				
Technician					WF-P5									FF-VT										CF-GYP					
PHYSIOTHERAPY & REHAB																													
Waiting, Reception & Back Office					WF-P5		WF-T1											FF-G						CF-GYP					
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (Between counter and O.H.)							FF-VT										CF-GYP	CF-AT				
Doctor's Room					WF-P5		WF-T1 (cladding up to 900mm with granite moulding above)							FF-VT										CF-GYP	CF-AT				
Counseling Room					WF-P5									FF-VT										CF-GYP	CF-AT				
Clinical Psychologist					WF-P5									FF-VT										CF-GYP	CF-AT				
Gate Physio. Lab					WF-P5									FF-VT (Anti-Skid)										CF-GYP	CF-AT				
Gymnasium					WF-P5																	FF-V (sport s vinyl)		CF-GYP					
Electrotherapy Cabins					WF-P5									FF-VT										CF-GYP	CF-AT				
Neuro Ortho Rehab Beds					WF-P5		WF-T1 (Cladding up to 1350mm)							FF-VT (Anti-Skid)										CF-GYP					
Staff Room					WF-P5									FF-VT										CF-GYP	CF-AT				
Child Develop					WF-P5									FF-VT										CF-GYP	CF-AT				
Change Room					WF-P5									FF-VT										CF-GYP					
C SECTION OT																													
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (between counter and over head)							FF-VT										CF-GYP	CF-AT				
Pre & Post Delivery Beds					WF-P5		WF-T1 (Cladding up to 1350mm)							FF-VT (Anti-Skid)										CF-GYP					
Sterile Room, Equip. Sterile, Sterile store, Sterile Station							WF-T1							FF-VT											CF-MT				
Nursery					WF-P5																	FF-V		CF-GYP					
Doctor/Nurse/Staff Change room					WF-P5									FF-VT										CF-GYP					
Ultrasound					WF-P5									FF-VT										CF-GYP					

DESCRIPTIONS	WALL FINISHES (DESIGN AS PER DRAWING)											FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING										CEILING FINISHES (DESIGN AS PER DRAWING + WOODEN TRAP DOOR)					DOOR	WINDOW	STRUCTURE GLAZING
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P6	WF-P&F	WF-T1	WF-G	WF-G+P	WF-LP	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-AR	FF-G	FF-W	FF-IPS	FF-V	CF-P1	CF-GYP	CF-GYP+C	CF-AT	CF-MT			
Labour & Delivery Room					WF-P6																FF-V		CF-GYP		CF-MT				
Operating Room					WF-P6																FF-V		CF-GYP		CF-MT				
Baby Resus					WF-P6		WF-T1							FF-VT										CF-MT					
Viewing Gallery					WF-P5									FF-VT									CF-GYP						
Isolation Beds						WF-P6	WF-T1 (Cladding up to 1350mm)														FF-V		CF-GYP						
Milk For, Feeding Room					WF-P5									FF-VT									CF-GYP						
NICU						WF-P6	WF-T1 (Cladding up to 1350mm)														FF-V		CF-GYP						
IN PATIENT DEPARTMENT																													
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (between counter & over head)										FF-G						CF-GYP		CF-AT				
Day Room, Treatment Room						WF-P6								FF-VT								FF-V	CF-GYP		CF-AT				
Isolation Bed						WF-P6																FF-V	CF-GYP						
Nurse Office, Doctor's Room					WF-P5									FF-VT (Anti-Skid)									CF-GYP		CF-AT				
IPD Beds Area					WF-P5		WF-T1 (Cladding up to 1350mm)							FF-VT (Anti-Skid)									CF-GYP						
Demonstration Room,					WF-P5		WF-T1 (Cladding up to 900mm)							FF-VT									CF-GYP		CF-AT				
SECOND FLOOR PLAN																													
OUT PATIENT DEPARTMENT																													
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (Between counter and over head)							FF-VT									CF-GYP		CF-AT				
OPD Sub Waiting Areas					WF-P5		WF-T1							FF-VT									CF-GYP		CF-AT				
OPD Consultation room/Doctor/Junior Doctor/HOD/Assistant					WF-P5		WF-T1 (Cladding up to 900mm)							FF-VT									CF-GYP		CF-AT				
Treatment Room / Dressing Room						WF-P6	WF-T1 (Cladding up to 1350mm)							FF-VT									CF-GYP						
Speech Therapy, Dark Room, Refraction Room					WF-P5																	FF-V	CF-GYP						
EEG, EMG					WF-P5																	FF-V	CF-GYP						
Demonstration Room					WF-P5		WF-T1 (Cladding up to 900mm)							FF-VT									CF-GYP		CF-AT				
Sample Collection (counter top polished granite finish with under & O.H. storage)					WF-P5		WF-T1 (Between counter and over head)							FF-VT									CF-GYP		CF-AT				
Audiometry (Sound proof Cabinet By Vendor)																						FF-V	CF-GYP		CF-AT				
ICU																													
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)					WF-P5		WF-T1 (between counter & overhead storage)							FF-VT									CF-GYP		CF-AT				
ICU Beds Area					WF-P5		WF-T1 (Cladding up to 1350mm)														FF-V		CF-GYP						
Isolation Room					WF-P5																	FF-V	CF-GYP						
Doctor's Duty Room					WF-P5									FF-VT									CF-GYP						
CATH LAB																													
Bed Hold					WF-P5		WF-T1 (Cladding up to 1350mm)														FF-V		CF-GYP						
Scrub & Change (TILE CLADDING up to 2400MM)					WF-P5		WF-T1							FF-VT									CF-GYP						
Cath Lab						WF-P6																FF-V	CF-GYP						
Cath Wash							WF-T1								FF-AT										CF-MT				
Console							WF-T1															FF-V	CF-GYP						
Doctor's Room					WF-P5									FF-VT									CF-GYP						
					WF-P5																		CF-GYP						
OT COMPLEX																													
Trolley Transfer							WF-T1							FF-VT									CF-GYP						
Pre & Post Operative Beds					WF-P5		WF-T1 (Cladding up to 1350mm)														FF-V		CF-GYP						
Induction Area					WF-P5									FF-VT									CF-GYP						
OT Rooms (modular) (ALL FINISHES BY MODULAR OT VENDOR)																					FF-IPS								
Counseling Room					WF-P5									FF-VT									CF-GYP						
Pharmacy Store, Equipment Store					WF-P5									FF-VT									CF-GYP						
Doctor, Nurse, GDA, Student Change Room							WF-T1							FF-VT									CF-GYP						
OT Office					WF-P5																	FF-V	CF-GYP						
Anesthetist Office					WF-P5																	FF-V	CF-GYP						
OT Store, TSSU							WF-T1							FF-VT										CF-MT					
OT Lab							WF-T1										FF-AR							CF-MT					
Doctor, Tech & Staff Lounge,					WF-P5									FF-VT									CF-GYP						
HOSPITAL FACULTY																													

DESCRIPTIONS	WALL FINISHES (DESIGN AS PER DRAWING)										FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING										CEILING FINISHES (DESIGN AS PER DRAWING + WOODEN TRAP DOOR)					DOOR	WINDOW	STRUCTURE GLAZING									
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P6	WF-P&F	WF-T1	WF-G	WF-G+P	WF-LP	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-AR	FF-G	FF-W	FF-IPS	FF-V	CF-P1	CF-GYP	CF-GYP+C	CF-AT				CF-MT								
THIRD FLOOR PLAN																																					
HOSPITAL FACULTY																																					
HOD Room				WF-P5										FF-VT																	CF-GYP+C	CF-AT					
Senior Resident, Junior Resident				WF-P5										FF-VT																	CF-GYP+C	CF-AT					
Associate Professor, Assistant Professor				WF-P5										FF-VT																	CF-GYP+C	CF-AT					
Staff, Department Staff				WF-P5										FF-VT																	CF-GYP+C	CF-AT					
HOD Room				WF-P5										FF-VT																	CF-GYP	CF-AT					
Senior Resident, Junior Resident				WF-P5										FF-VT																	CF-GYP	CF-AT					
Associate Professor, Assistant Professor				WF-P5										FF-VT																	CF-GYP	CF-AT					
Staff, Department Staff				WF-P5										FF-VT																	CF-GYP	CF-AT					
Cabins				WF-P5										FF-VT																	CF-GYP	CF-AT					
ADMIN OFFICE																																					
Waiting & Reception				WF-P5			WF-T1							FF-VT																	CF-GYP+C	CF-AT					
Work Station				WF-P5										FF-VT																	CF-GYP+C	CF-AT					
Conference				WF-P5						WF-LP 50% OF AREA									FF-W												CF-GYP+C	CF-AT					
Cabins, Cubicles				WF-P5						WF-LP 50% OF AREA				FF-VT																		CF-GYP+C	CF-AT				
Meeting Rooms				WF-P5						WF-LP 50% OF AREA				FF-VT																		CF-GYP+C					
HOD Room				WF-P5										FF-VT																	CF-GYP+C	CF-AT					
Pantry							WF-T1																												CF-MT		
Repro				WF-P5										FF-VT	FF-AT																CF-GYP+C	CF-AT					
PATIENT RELATIVE WAITING																																					
Waiting				WF-P5			WF-T1																									CF-GYP+C	CF-AT				
Café				WF-P5			WF-T1 (DIF COL IN PATTERN)							FF-VT																		CF-GYP+C					
Pantry							WF-T1							FF-VT																				CF-MT			
STAFF DINNING AREA																																					
Pantry/Serving Counter							WF-T1							FF-VT																					CF-MT		
Hand Wash/Drinking Water							WF-T1							FF-VT																				CF-MT			
Doctor & Staff Dining Area				WF-P5										FF-VT																		CF-GYP+C					
Change Rooms				WF-P5										FF-VT																							
Uniform Issue				WF-P5										FF-VT																		CF-GYP					
CENTRAL STERILE SUPPLY DEPARTMENT																																					
Dirty Receiving							WF-T1							FF-VT																					CF-MT		
Wash Area							WF-T1													FF-AT															CF-MT		
ETO							WF-T1													FF-AT															CF-MT		
Clean Area							WF-T1													FF-AT															CF-MT		
Change ROOM, Air Lock							WF-T1							FF-VT																					CF-MT		
MNG Room,				WF-P5										FF-VT																		CF-GYP					
Clean Issue							WF-T1							FF-VT																					CF-MT		
IT Room				WF-P5										FF-VT																		CF-GYP					
MEDICAL RECORD DEPARTMENT																																					
Medical Record Room				WF-P5										FF-VT																							
Stores				WF-P5										FF-VT																		CF-P1					
FOURTH FLOOR PLAN																																					
FOURTH FLOOR PLAN																																					
FOURTH FLOOR PLAN																																					
HOSPITAL FACULTY				WF-P5			WF-T1																														
HOD Room				WF-P5										FF-VT																		CF-GYP+C	CF-AT				
Senior Resident, Junior Resident				WF-P5										FF-VT																		CF-GYP+C	CF-AT				
Associate Professor, Assistant Professor				WF-P5										FF-VT																		CF-GYP+C	CF-AT				
IN PATIENT DEPARTMENT																																					
GENERAL SURGERY, ORTHOPEDICS, OTORHINOLARYNGOLOGY & OPHTHALMOLOGY																																					
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)				WF-P5			WF-T1 (between counter and overhead)							FF-VT																		CF-GYP	CF-AT				
Day Room, Treatment Room					WF-P6		WF-T1 (Cladding up to 1350mm)							FF-VT																			CF-GYP				
Isolation Bed							WF-T1 (Cladding up to 1350mm)							FF-VT (Anti- Skid)																			CF-GYP				
Nurse Office, Doctor's Room				WF-P5										FF-VT																			CF-GYP	CF-AT			
IPD Beds Area				WF-P5			WF-T1 (Cladding up to 1350mm)							FF-VT (Anti- Skid)																			CF-GYP				
Demonstration Room				WF-P5			WF-T1 (Cladding up to 900mm)							FF-VT																			CF-GYP	CF-AT			
FIFTH FLOOR PLAN																																					
FIFTH FLOOR PLAN																																					
FIFTH FLOOR PLAN																																					
HOSPITAL FACULTY																																					
HOD Room				WF-P5										FF-VT																			CF-GYP+C	CF-AT			
Senior Resident, Junior Resident				WF-P5										FF-VT																			CF-GYP+C	CF-AT			
Associate Professor, Assistant Professor				WF-P5										FF-VT																			CF-GYP+C	CF-AT			
IN PATIENT DEPARTMENT																																					
GENERAL MEDICINE, PULMONARY MEDICINE & ENDOCRINOLOGY AND PSYCHIATRY																																					
Nurse Station - back wall-(counter top polished granite finish with under & O.H.storage)				WF-P5			WF-T1 (between counter and overhead)							FF-VT																			CF-GYP	CF-AT			

FINISHING SCHEDULE - MEDICAL AND NURSING COLLEGE AREA'S																															
DESCRIPTION	WALL FINISHES										FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING							CEILING FINISHES							DOOR		WINDOW		STRUCTURE GLAZING		
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P6	WF-LP	WF-T1	WF-G	WF-G+P	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-W	FF-V	CF-P1	CF-GYP	CF-GYP+C	CF-AT	CF-MT	CF-MTP	CF-P+P	CF-PP+C	Frame :	Shutter :	Frame :	Shutter :	
GROUND FLOOR PLAN																															
ENTRANCE LOBBY AND RECEPTION																															
Entrance Lobby & Reception					WF-P5				WF-G+P						FF-G			CF-P1	CF-GYP												
ADMINISTRATIVE A - AREAS												FF-VT																			
Reception & Waiting									WF-G+P						FF-G				CF-GYP+C												
Director, President, Registrar, Dean Offices					WF-P5	WF-LP 50% OF AREA						FF-VT							CF-GYP+C												
P.S. Rooms					WF-P5							FF-VT							CF-GYP+C												
Conference Rooms					WF-P5										FF-W				CF-GYP+C												
Pre Function Area					WF-P5	WF-LP 50% OF AREA						FF-VT							CF-GYP+C												
VIP WAITING					WF-P5							FF-VT							CF-GYP+C												
Control Exam, Sr. Officer,					WF-P5							FF-VT							CF-GYP												
Cabins, Staff workstations					WF-P5							FF-VT							CF-GYP												
Stores	WF-P1											FF-K							CF-GYP												
Pantry,Toilets	WF-P1 (above dado up to ceiling)						WF-T1 (Dado up to lintel level)						FF-AT					CF-P1					CF-MT								
FINANCE																		CF-P1													
CAD, FA Rooms					WF-P5	WF-LP 50% OF AREA						FF-VT							CF-GYP+C												
Conference Rooms					WF-P5	WF-LP 50% OF AREA									FF-W				CF-GYP+C												
P.S. Rooms					WF-P5							FF-VT							CF-GYP+C												
Cabins					WF-P5							FF-VT							CF-GYP												
Toilet	WF-P1 (above dado up to ceiling)						WF-T1 (Dado up to lintel level)						FF-AT										CF-MT								
ADMINISTRATIVE B - AREAS																															
Reception & Waiting					WF-P5							FF-VT							CF-GYP+C												
Dy. Director					WF-P5	WF-LP 50% OF AREA						FF-VT							CF-GYP+C												
Meeting					WF-P5	WF-LP 50% OF AREA									FF-W				CF-GYP+C												
Law Office, Sr.hindi office, Sr.Analyst, Dy security office, pro.					WF-P5							FF-VT							CF-GYP+C	CF-AT											
Sr.office, Sr. Admin . Asst. Admin , Admin office,					WF-P5							FF-VT							CF-GYP+C	CF-AT											
Cabins, Staff workstations					WF-P5							FF-VT							CF-GYP	CF-AT											
Record Room					WF-P5							FF-VT						CF-P1	CF-GYP	CF-AT											
Kitchen	WF-P1 (above dado up to ceiling)						WF-T1 (Dado up to lintel level)						FF-AT										CF-MT								
Girls & Boys common rooms					WF-P5							FF-VT							CF-GYP+C	CF-AT											
Cafeteria		WF-P2 (above Dado up to ceiling)					WF-T1 (900mm Dado)in coloured pattern					FF-VT							CF-GYP+C												
ANATOMY																															
Reception & Waiting					WF-P5							FF-VT							CF-GYP+C												
Demonstration Room					WF-P5	50%						FF-VT							CF-GYP	CF-AT											
HOD Room					WF-P5							FF-VT							CF-GYP+C												
Associate Proffesor, Assistance Professor, Teaching Room, Tutor. Room					WF-P5							FF-VT							CF-GYP	CF-AT											
P.S. Room					WF-P5							FF-VT							CF-GYP	CF-AT											
Dissection	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT						CF-GYP	CF-AT												
Departmental library					WF-P5							FF-VT (Anti-Skid)							CF-GYP	CF-AT											
Research Lab (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT (Anti-Skid)							CF-GYP	CF-AT											
Histology Lab (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT (Anti-Skid)							CF-GYP	CF-AT											
Boby & Cold Wash	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)						FF-AT										CF-MT								
Toilets	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel lv)						FF-AT										CF-MT								
Museum					WF-P5							FF-VT							CF-GYP+C												
NURSING COLLEGE																															
Entrance Lobby					WF-P5										FF-G				CF-GYP+C												
Reception & Waiting					WF-P5										FF-G				CF-GYP+C												

DESCRIPTION	WALL FINISHES													FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING							CEILING FINISHES										DOOR		WINDOW		STRUCTURE GLAZING					
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P6	WF-LP	WF-T1	WF-G	WF-G+P	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-W	FF-V	CF-P1	CF-GYP	CF-GYP+C	CF-AT	CF-MT	CF-MTP	CF-P+P	CF-PP+C	Frame :	Main Entry Door Frame: Aluminium Extruded powder coated tubular box section without rebate	Frame :	Aluminum frame powder coated	SGS +GRC JALI									
Demonstration Room					WF-P5		WF-T1 (Dado up to 1200MM level)					FF-VT								CF-GYP		CF-AT																		
Research					WF-P5							FF-VT									CF-GYP		CF-AT																	
Associate Professor, Assistance Professor, Teaching Room, Tutot Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
HOD Room							WF-LP 50%					FF-VT										CF-GYP+C																		
P.S. Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
Museum					WF-P5							FF-VT									CF-GYP	CF-GYP+C																		
Library					WF-P5							FF-VT									CF-GYP		CF-AT																	
Practical Lab (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT (Anti-Skid)									CF-GYP		CF-AT																	
SECOND FLOOR PLAN																																								
BIO CHEMISTRY LAB																																								
Reception & Waiting					WF-P5							FF-VT			FF-G							CF-GYP+C																		
Associate Professor, Assistance Professor					WF-P5							FF-VT									CF-GYP		CF-AT																	
Teaching, Non Teaching Room, Tutot Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
HOD Room							WF-LP 50%					FF-VT										CF-GYP+C																		
P.S. Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
Demonstration Room					WF-P5		WF-T1 (Dado up to 1200MM level)					FF-VT										CF-GYP		CF-AT																
Library					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT																	
Research					WF-P5							FF-VT									CF-GYP		CF-AT																	
Practical Lab (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT (Anti-Skid)									CF-GYP		CF-AT																	
Museum					WF-P5							FF-VT										CF-GYP+C																		
Ante room					WF-P5							FF-VT										CF-GYP+C																		
COMMUNITY MEDICINE																																								
Reception & Waiting					WF-P5										FF-G							CF-GYP+C																		
Associate Professor, Assistance Professor					WF-P5							FF-VT									CF-GYP		CF-AT																	
Teaching, Non Teaching Room, Tutot Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
HOD Room							WF-LP 50%					FF-VT										CF-GYP+C																		
P.S. Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
Library					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT																	
Research					WF-P5							FF-VT									CF-GYP		CF-AT																	
Practical Lab (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT (Anti-Skid)									CF-GYP		CF-AT																	
FORENSIC MEDICINE																																								
Reception & Waiting					WF-P5										FF-G							CF-GYP+C																		
HOD Room					WF-P5		WF-LP 50%					FF-VT										CF-GYP+C																		
P.S. Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
Assistance Professor					WF-P5							FF-VT									CF-GYP		CF-AT																	
Teaching, Non Teaching Room, Tutot Room, Statistician, Epidemiologist					WF-P5							FF-VT									CF-GYP		CF-AT																	
Library					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT																	
Laboratory (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT									CF-GYP		CF-AT																	
Demonstration Room					WF-P5		WF-T1 (Dado up to 1200MM level)					FF-VT										CF-GYP		CF-AT																
Museum					WF-P5							FF-VT										CF-GYP+C																		
Central Research, Research,					WF-P5							FF-VT									CF-GYP		CF-AT																	
Record Room	WF-P1											FF-VT								CF-P1																				
Clinical Research					WF-P5							FF-VT																												
Support room					WF-P5							FF-VT									CF-GYP																			
PHARMACOLOGY																																								
Reception & Waiting					WF-P5										FF-G							CF-GYP+C																		
Associate Professor, Assistance Professor, Proff.					WF-P5							FF-VT									CF-GYP		CF-AT																	
Teaching, Non Teaching Room, Tutot Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
HOD Room							WF-LP 50%					FF-VT										CF-GYP+C																		
P.S. Room					WF-P5							FF-VT									CF-GYP		CF-AT																	
Experimental Pharmacology (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT									CF-GYP		CF-AT																	
Clinical Pharmacology (counter finish with polished granite)	WF-P1 (above Dado up to ceiling)						WF-T1 (Dado up to lintel level)					FF-VT									CF-GYP		CF-AT																	
Research					WF-P5							FF-VT									CF-GYP		CF-AT																	
Laboratory (counter finish with polished granite)					WF-P5		WF-T1					FF-VT (Anti-Skid)									CF-GYP		CF-AT																	
Demonstration Room					WF-P5		WF-T1 (Dado up to 1200MM level)					FF-VT										CF-GYP		CF-AT																
Lecture Halls					WF-P5 (Above 2400mm up to ceiling) Acoustic panelling as per acoustic requirement & design upto 2400mm						FF-K										CF-GYP		CF-AT																	
Support Area Lecture Theater					WF-P5							FF-VT									CF-GYP																			
THIRD FLOOR PLAN																																								
CENTRAL LIBRARY																																								

DESCRIPTION	WALL FINISHES										FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING								CEILING FINISHES								DOOR		WINDOW		STRUCTURE GLAZING	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P6	WF-LP	WF-T1	WF-G	WF-G+P	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-W	FF-V	CF-P1	CF-GYP	CF-GYP+C	CF-AT	CF-MT	CF-MTP	CF-P+P	CF-PP+C	Frame :		Frame :		SGS +GRC JALI	
Central Library					WF-P5							FF-VT (Anti-Skid)								CF-GYP		CF-AT						Main Entry Door Frame: Aluminium Extruded powder coated tubular box section without rebate		Aluminum frame powder coated		
Central Photographic E-Library					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT									
Journals Room					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT									
Vedio Room					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT									
Librarian					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT									
Staff Room					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT									
Staff Reading Room					WF-P5							FF-VT (Anti-Skid)									CF-GYP		CF-AT									
Cafeteria	WF-P1 (above dado level up to ceiling)											WF-T1 (Dado 900mm with granite moulding)																				
Printer Area	WF-P1											FF-VT									CF-GYP											
Service room	WF-P1											FF-VT								CF-P1												
TOILETS																																
Public Toilets	WF-P1 (above dado level up to ceiling)											WF-T1 (dado up to lintel level)																				
Staff Toilets	WF-P1 (above dado level up to ceiling)											WF-T1 (dado up to lintel level)																				
CIRCULATION AND SUPPORT SERVICES																																
Staircase																																
Fire Staircase			WF-P2 (At 900mm ht.)																													
Ramps																																
Lift Lobby (cladding up to 100 mm above false ceiling)																																
Corridor																																
AHU/ Electrical/Service Rooms/stores/Record Server room (Raised flooring with tiles)	WF-P1																															
Railing																																
Ramps	Stainless Steel Railing (Both Baluster and hand Rail)																															
Staircase	Stainless Steel Railing (Both Baluster and hand Rail)																															
Fire Staircase	MS powder coated Baluster and Handrail																															
Miscellaneous Items																																
Window Pelmet for curtain and blinds	150x150mm Concealed pelmet in false ceiling to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All faculty rooms conference, meeting rooms Adimm area and offices																															
Storages -Stores, Office and cabins Full Ht Storage, Over Head and low ht units	19mm thk board finished with all sides laminate with shelves with Stainless Steel locks and Handles (as per approved sample) Complete all respect																															
Lab & Pantry Counters	50mm thk RCC counter finished with 19mm thk Granite top and 100mm facia with 19mmthk BWP commercial board undercounter and overhead (only where counter is against wall) storage all inside finished with paint and out side with 1mm thk finish 1mm thk. Shutters 19mm thk BWP Board finished with both side 1mm thk finish.																															
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)																															
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs																															
Toilet & Pantry Fittings	Kitchen Stainless steel sink,WC, Washbasin, Urinal of approved design and make. For attached Toilets Wall Mounted EWC is to be provided, in other Toilets Floor Mounted																															
OBD paint above false ceiling																																
Tile cladding	Tile cladding up to lintel level toilet, pantry																															

FINISHING SCHEDULE - GUEST'S HOUSE

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING								DOOR						WINDOW		
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-LP	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-WL	FF-V	CF -P1	CF - GYP	CF-GYP+C	CF - MT	CF -P+ P	CF -PP+C	Frame :	Shutter :	
GROUND FLOOR																								
Reception & Waiting					WF-P5								FF-G				CF-GYP+C							
Cafeteria					WF-P5		WF-T1 (Dado up to 1300 mm)			FF-VT							CF-GYP+C							
Conference					WF-P6	WF-LP 50%								FF-WL			CF-GYP+C							
Gym					WF-P5										FF-V	CF -P1	CF - GYP (50%)							
Kitchen	WF-P1 (Above Tile Dado UP TO Ceiling)						WF-T1 (Dado up to lintel)				FF-K								CF - MT					
Toilets							WF-T1 (Dado up to lintel level)	FF-K												CF - MT				
Store	WF-P1							FF-K								CF -P1								
Office area					WF-P5					FF-VT							CF - GYP (50%)							
Pantry							WF-T1 (Dado up to lintel level)				FF-K									CF - MT				
FIRST FLOOR																								
Suite Room					WF-P5					FF-VT											CF -P+ P			
Special Suite Room					WF-P5									FF-WL							CF -P+ P			
Guest Rooms					WF-P5					FF-VT						CF - P1					CF -P+ P			
Dresser					WF-P5					FF-VT											CF -P+ P			
Toilets							WF-T1 (up to lintel level)				FF-AT										CF -P+ P			
SECOND FLOOR																								
Guest Rooms					WF-P5					FF-VT						CF - P1					CF -P+ P			
Toilets							WF-T1 (up to lintel level)				FF-AT										CF -P+ P			
CIRCULATION AND SUPPORT SERVICES																								
Staircase					WF-P5								FF-G			CF -P1								
Ramps											FF-CT													
Lift Lobby (cladding up to 2400mm is granite)					WF-P5								FF-G				CF-GYP+C							
Corridor					WF-P5								FF-G				CF-GYP+C							
Electrical Rooms	WF-P1							FF-K								CF -P1								
Balcony				WF-P4							FF-AT					CF -P1								
Railing																								
Ramps																								
Staircase																								
Miscellaneous Items																								

DOOR

Frame : Pressed steel Door Powder coated

Shutter : Main entry Door, Dining Door & Gym: 12mm thk toughened glass door with patch fittings
 Kitchen Door: - 35mm thk flushed shutter both side 1mm thk laminate finish with vision panel
 Room Door: - 35mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25 mm 2nd class teak wood lipping with polish finish.
 2) Inside room doors: 35mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25 mm 2nd class teak wood lipping with polish finish.
 3) Toilet Doors , Changing Room& Store: 35mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25 mm 2nd class teak wood lipping with polish finish.WC Door-30mm thk both side laminated flush shutter
 4) Balcony Doors : Double Door
 Balcony Side Door(outside) : - MS Tubular box section with stainless steel grade 304 fly mesh
 Room side Door: - 35mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25 mm 2nd class teak wood lipping with polish finish.
 5) Staircase door& Electrical room -Fire rated wooden door with vision panel finish with both side 1mm thk laminate and edges finished with 6mm wooden lipping polish finish. flush door with vision panel

WINDOW

Frame : Powder coated Aluminum frame

Shutter : Double shutter with Aluminum grill between both shutters
 Room side Shutter : - Powder coated Aluminum style and rail shutter with stainless steel fly mesh
 Outside Shutter : - Powder coated Aluminum style and rail shutter Fully glazed (8mm SGU)
 Lift Lobby-Fixed Aluminium Glazed shutters

Fitting SS Hinges, SS handles, SS tower Bolts etc. all in SS finish

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING							DOOR						WINDOW				
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-LP	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-WL	FF-V	CF -P1	CF - GYP	CF-GYP+C	CF - MT	CF -P+ P	CF -PP+C	Frame :	Pressed steel Door Powder coated	Frame :	Powder coated Aluminum frame
Window Pelmet for curtain and blinds	150x150mm Concealed or Exposed pelmet in false ceiling to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms Lobby, lounge and waiting areas																								
Window Covering -Curtains (of approved sample)	All Guest rooms and suite rooms																								
Wardrobe	All Guest Rooms - Wardrobes to be 2100mm ht and 600mm deep and length as per drawing and hanger rod. Complete in all respect. 19mm thk Board finished with 1mm thk laminate on back, sides, base and top with shelves and shutter. 25mm thk Shutter finished with laminate both side 1mm thk with Stainless Steel locks and Handle (as per approved sample) and all inside surface and shelves finished with white paint																								
Storages -Office, Kitchen and cabins Full Ht Storage, Ov	19mm thk board finished with all sides 1mm thk with shelves with Stainless Steel locks and Handles (as per approved sample) Complete all respect																								
Counters	Bathroom Counters- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia Kitchen Counters- 50mm thk RCC counter top support with brick base finished with tiles and counter top and 100mm thk facia in 19mm thk Granite with 19mmthk BWP commercial board shutters laminate finish with BWP board shelves, All inside finished with paint																								
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)																								
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs																								
Toilet Fittings	EWC to be wall mounted, Washbasin, Urinal of approved design and make are to be provided.																								

FINISHING SCHEDULE - DIRECTOR'S RESIDENCE																					
DESCRIPTIONS	WALL FINISHES						FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING						CEILING FINISHES				DOOR		WINDOW		
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P&F	WF-T1	FF-K	FF-VT	FF-AT	FF-G	FF-WL	FF-HT	CF-P1	CF-GYP	CF-P+P	CF-PP+C				
GROUND FLOOR																		Frame :	2nd class Seasoned teak wood (termite proof) with wooden architrave	Frame :	2nd class teak wood Frame (termite proof)
Verandah/Porch				WF-P4						FF-AT				CF-P1				Shutter :	1) Main Door: 2nd class teak Wood paneled design door	Shutter :	Double shutter with ss grill between both shutters
Drawing Room	WF-P1									FF-G							CF-PP+C		Out side Door (security Door) : - 2nd class teak wood panelled with SS grill with stainless steel fly mesh		Room side Shutter : - wooden style shutters polish finish with stainless steel fly mesh
Living Room	WF-P1									FF-G							CF-PP+C		2)Room side Door: - 35mm thk Flush shutter both side 1mm thk laminate finish with 2nd class teakwood lipping & Polish finish		Outside Shutter : - wooden style shutters with 6mm thk clear glass fixed with wooden beading polish finish
Dinning Area	WF-P1									FF-G							CF-PP+C		3) Inside room doors: 35mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25 mm 2nd class teak wood lipping with polish finish.		
Master Bed Room	WF-P1										FF-WL						CF-PP+C		4)Toilet Doors : 30 mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25 mm 2nd class teak wood lipping polish finish.		
Bed Room	WF-P1								FF-VT								CF-PP+C		5) Balcony Doors : Double Door		
Kitchen (counter top finish with granite)							WF-T1 (UP FLASE CEILING LVL/full height as per MOUD norms)		FF-VT(Anti-Skid)					CF-P1					Balcony Side Door : - 35mm thk wooden style polish finish door with stainless steel fly mesh & SS Grill		
Office	WF-P1										FF-WL						CF-PP+C		Room side Door: - 35mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with mm wooden lipping polish finish		
Dressing Room	WF-P1								FF-VT							CF-P+P					
Toilet							WF-T1 (up to False Ceiling)			FF-AT						CF-P+P		Terrace Door	MS panel door painted		
Passage	WF-P1													CF-P1							
FIRST FLOOR																					
Family Lounge/Lobby	WF-P1										FF-G						CF-PP+C				
Bed Room	WF-P1								FF-VT								CF-PP+C				
Dressing Room	WF-P1								FF-VT							CF-P+P					
Toilet							WF-T1 (up to False Ceiling/up to full height as per MOUD norms)			FF-AT						CF-P+P	CF-PP+C				
Staircase					WF-P5						FF-G			CF-P1							
Utility					WF-P5					FF-AT				CF-P1							
Balcony				WF-P4						FF-AT				CF-P1							
Terrace												FF-HT									
Servant rooms																		Frame :	Press steel Box section powder coated		
Servant Rooms	WF-P1 (only Putty)								FF-K					CF-P1				Shutter :	1) Room & Kitchen doors: 35mm thk flush commercial door finish enamel paint finish		
Cooking Area (Polished Kota stone counter top)	WF-P1 (Above tile finish up to ceiling)						WF-T1 (Dado up full height as per MOUD norms)			FF-AT				CF-P1					2)Toilet Doors : 35mm thk factory made flush door 1mm thk laminate on both faces wooden lipping melamine polish		
Toilet							WF-T1 (Dado up to 2400 as per MOUD norms)			FF-AT				CF-P1							
Railing	Stainless Steel Railing (Both Baluster and hand Rail)																				
Miscellaneous Items																					
Window Pelmet for curtain and blinds	Drapery rods on all windows/ doors in all rooms except kitchen, Toilets/ bath/WC																				
Window Covering -Curtains (of approved sample)	All rooms																				
Wardrobe(upto Ceiling height)	All Bed Rooms - Wardrobes to be 2100mm ht and 600mm deep and length as per drawing and hanger rod. Complete in all respect. 19mm thk Board finished with 1mm thk laminate on back, sides, base and top with shelves and shutter. 25mm thk Shutter finished with laminate both side 1mm thk with Stainless Steel locks and Handle (as per approved sample) and all inside surface and shelves finished with white paint																				
Storages -Office, Kitchen and cabins Full Ht Storage, Over Head and low ht units	19mm thk board finished with all sides 1mm thk with shelves with Stainless Steel locks and Handles (as per approved sample) Complete all respect																				
Counters	Bathroom Counters- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm Kitchen Counters- 50mm thk RCC counter top support with brick base finished with tiles and counter top and 100mm thk facia in 19mm thk Granite with 19mmthk BWP commercial board shutters laminate finish with BWP board shelves, All inside finished with paint																				
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)																				
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP of size (600mmx450mm) ply paint finish fixed SS flat button studs																				
Toilet & Kitchen Fittings	Kitchen Stainless ateel sink, WC, Orrisa Indian Pan-1,Washbasin of approved design and make/Factory made Modular Ktcken																				
OBD PAINT ABOVE FALSE CEILING																					

FINISHING SCHEDULE - DNNING HALL

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING								CEILING FINISHES						DOOR	WINDOW	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-P&F	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-V	FF-M	CF -P1	CF - GYP	CF - AT	CF - MT	CF - W	CF - CS			CF-GYP+C
Entrance Lobby					WF-P5								FF-G			CF -P1							Frame : Main Entry Door Frame: Aluminum Extruded powder coated tubular box section without rebate Shutter : 1) Main Door And Café Entry Door: Double Door with Aluminum style & rail powder coated fully glazed shutter on floor spring 2)Kitchen Door: - 35 mm thk factory made flush commercial shutter with vision panel 300mmx300mm 1mm thk laminate finish on both faces wooden lipping melamine polish 3) Elect & A.H.U: GI powder coated fire door shutter as per Fire Norms 4)Toilet Doors : Main doors-35mm thk factory made flush door 1mm thk laminate finish on both faces with 25mm thk 2nd class teak wood lipping & melamine polish WC door: 30mm thk factory made flush door 1mm thk laminate finish on both faces wooden lipping melamine polish 5)Utility, Store, Pot wash Doors: - 35 mm thk flushed commercial shutter both side laminate finish	FRAME: Aluminum Extruded powder coated tubular box section Shutters: Double shutter Room side Shutter : - Aluminum style powder coated shutters with stainless steel grade 304 fly mesh Out side Shutter : - Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.
Kitchen Office				WF-P5					FF-VT						CF -P1									
Veg. / Non Veg .Kitchen							WF-T1 (up to false ceiling)	FF-K											CF- MT					
Cutlery							WF-T1 (up to lintel level)	FF-K								CF -P1								
Utility	WF-P1						WF-T1 (up to lintel level)	FF-K								CF -P1								
Café's					WF-P5		WF-T1 (up to 900mm coloured tiles)			FF-VT												CF-GYP+C		
Try Drop							WF-T1 (up to lintel level)	FF-K								CF -P1								
Toilets							WF-T1 (up to lintel level)				FF-AT					CF -P1								
Hand Wash							WF-T1 (up to lintel level)	FF-K								CF -P1								
Pot Wash							WF-T1 (up to lintel level)	FF-K								CF -P1								
Electrical Room	WF-P1							FF-K								CF -P1								
Dry & Cold Store	WF-P1							FF-K								CF -P1								
Ramp																								
Railing																								
Ramps	Stainless Steel Railing (Both Baluster and hand Rail)																							
Miscellaneous Items																								
Window Pelnets for curtain and blinds	150x150mm Concealed or Exposed pelmet in false ceiling to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms Lobby, lounge and waiting areas																							
Counters	Bathroom Counters,, Hand Wash, Tray Drop- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia Kitchen Counters, Cafe Counter- 50mm thk RCC counter top support with brick base finished with tiles and counter top and 100mm thk facia in 19mm thk Granite with 19mmthk BWP commercial board shutters laminate finish with BWP board shelves, All inside finished with paint																							
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)																							
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs																							
Toilet Fittings	WC, Washbasin, Urinal of approved design and make																							

	A	B	C	D	E	F	G	H	I	J	K	M	N	O	P	Q	R	S	T	U	V	W	X
2	FINISHING SCHEDULE - AUDITORIUM																						
3	DESCRIPTIONS	WALL FINISHES	FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING	CEILING FINISHES				DOOR				WINDOW				STRUCTURE GLAZING							
4	LOBBY AREA	1) Wall - Sides plain matt finish ceramic tiles dado of 450X300 base from will be 20% granite	Flooring band 1200 mm tan brown granite, raw silk granite infill will kota stone 15mm thk. joint filled with chips with white cement	Combination of Gypsum Board & white mineral fibre tiles 600X600 tegular joints	Frame :	2nd class Seasoned teak wood frame termite treated	Frame :	Aluminum frame powder coated	SGS +GRC														
5		2) Lobby front wall - 1.2 M granite dado with 1200 wide vertical tan brown granite								Shutter :	1) Main Entry Door: 12mm thk toughened glass door on floor spring & patch fittings	Shutter :	Powder coated Aluminum Frame	Anodized Aluminum Frame With 8 Mm Thk SGU									
6	AUDITORIUM	1) Internal Acoustical of auditorium - 300 X 150 slate stone upto 1.2 meter height with 8X8 mm grove & recessed pointing matching shade mortar.	CARPET ROLL	Ceiling will be 2.4 X 1.2 plain perforated Acoustical tile.Gyp. Board, remaining partition with sides of plain gypsum board 2 layers of 12mm thick board including core & lighting & strip.	Shutter :	2) Seminar room & Green room doors:- 35mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25mm thk 2nd class teak wood lipping polish finish with vision panel 200x1200mm.	Shutter :	External Windows:- Fixed glass external windows with Powder coated Aluminum Frame with 6-12-6 mm Thk DGU as per GRIHA requirement	Anodized Aluminum Frame With GRC JALI														
7										2) Factory made - wooden paneling as per design with acoustical lining of approved make Ceiling, Acoustical Board - upto ceiling Height.	Stage wooden flooring - wood of 20MM thick & stage front.	Shutter :	3) Auditorium Door:- Fire rated Acoustic wooden door	Shutter :	internal windows : - 8 mm thk float fixed/openable glass as specified in tender drawings								
8	SEMINAR HALL	2) Factory made - wooden paneling as per design with acoustical lining of approved make upto Ceiling, above approved make Acoustical Board - upto ceiling Height.	CARPET ROLL	Acoustical tile ceiling with gypsum and cove light	Shutter :	4)Toilet Pantry and Utility Doors : 30 mm thk flush commercial door finish with both side 1mm thk laminate and edges finished with 25 mm thk 2nd class teak wood lipping polish finish.																	
9							CONFERENCE ROOM	2) Factory made - wooden paneling as per design with acoustical lining of approved make upto Ceiling, above approved make Acoustical Board - upto ceiling Height.	Vitrified Tiles	Acoustical tile ceiling with gypsum and cove light	Shutter :	5) Staircase Corridor, Ahu door -Fire rated wooden door with vision panel finish with both side 1mm thk laminate and edges finished with 6mm wooden lipping polish finish. flush door with vision panel											
10	Pantry (COUNTER TOP GRANITE FINISH)	Ceramic tile up to ceiling	Anti skid tiles	putty + obd	Shutter :																		
11						Female & male Green Rooms	Plastic emulsion paint up to ceiling	Kota Flooring	putty + obd	Shutter :													
12	Toilet	Ceramic tile up to ceiling	Anti skid tiles	Metal seamless Tile	Shutter :																		
13						Toilets	Ceramic tile up to ceiling	Anti skid tiles	Metal seamless Tile	Shutter :													
14	VIP TOILET	Ceramic tile up to ceiling	Anti skid tiles	Metal seamless Tile	Shutter :																		
15						CIRCULATION AND SUPPORT SERVICES	Ceramic tile at 900mm ht. with granite beading & acrylic paint up to ceiling	Granite flooring	putty + obd	Shutter :													
16	Staircase	Ceramic tile at 900mm ht. with granite beading & acrylic paint up to ceiling	Granite flooring	putty + obd	Shutter :																		
17						Ramp	Ceramic tile at 900mm ht. with granite beading & acrylic paint up to ceiling	Granite flooring	putty + obd	Shutter :													
18	Corridor	Ceramic tile at 900mm ht. with granite beading & acrylic paint up to ceiling	Granite flooring	putty + obd	Shutter :																		
19						AHU Room/Electrical/ Service Rooms /Niche's/Stores	OBD	Kota Flooring	putty + obd	Shutter :													
20	Control room	OBD	Kota Flooring	putty + obd	Shutter :																		
21						Railing	Stainless Steel Railing (Both Baluster and hand Rail)	Stainless Steel Railing (Both Baluster and hand Rail)	Stainless Steel Railing (Both Baluster and hand Rail)	Shutter :													
22	Ramps	Stainless Steel Railing (Both Baluster and hand Rail)	Stainless Steel Railing (Both Baluster and hand Rail)	Stainless Steel Railing (Both Baluster and hand Rail)	Shutter :																		
23						Staircase	Stainless Steel Railing (Both Baluster and hand Rail)	Stainless Steel Railing (Both Baluster and hand Rail)	Stainless Steel Railing (Both Baluster and hand Rail)	Shutter :													
24	Fire Staircase	MS powder coated Baluster and Handrail	MS powder coated Baluster and Handrail	MS powder coated Baluster and Handrail	Shutter :																		
25						Miscellaneous Items	Window Pelmet for curtain and blinds	150x150mm Concealed or Exposed pelmet in false ceiling to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms Lobby, lounge and waiting areas	150x150mm Concealed or Exposed pelmet in false ceiling to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms Lobby, lounge and waiting areas	Shutter :													
26	Counters (as per drawing)	Bathroom Counters,, Hand Wash,Tray Drop- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia	Bathroom Counters,, Hand Wash,Tray Drop- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia	Bathroom Counters,, Hand Wash,Tray Drop- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia	Shutter :																		
27						Toilet Accessories (All in Stainless Steel) (As per approved sample)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)	Shutter :													
28	Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs	Shutter :																		
29						Toilet Fittings	WC, Washbasin, Urinal of approved design and make. For VIP area Toilets Wall Mounted EWC is to be provided.	WC, Washbasin, Urinal of approved design and make. For VIP area Toilets Wall Mounted EWC is to be provided.	WC, Washbasin, Urinal of approved design and make. For VIP area Toilets Wall Mounted EWC is to be provided.	Shutter :													
30					Shutter :																		
31										Shutter :													
32					Shutter :																		
33										Shutter :													
34					Shutter :																		
35										Shutter :													

SHOPPING COMPLEX, NIGHT SHELTER, BOIMEDICAL WASTE , FIRESTATION, LAUNDRY, MORTUARY, CAFETERIA,SERVICE BUILDING & GUARD ROOM																	
DESCRIPTIONS	WALL FINISHES					FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING								CEILING FINISHES	DOOR	WINDOW	
	WF-P1	WF-P2	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-V	FF-M				CF -P1
SHOPPING COMPLEX																FRAME: Aluminum Extruded powder coated tubular box section .	FRAME: Aluminum Extruded powder coated tubular box section
Entrance area	WF-P1 (Above 900mm up to ceiling)				WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1	12mm Thk Toughened Glass Door on floor spring +patch fittings	Aluminum style and rail powder coated glazed shutter. Glazing- Fully glazed fixed shutter as specified in drawing	
Cafeteria/Dining		WF-P2 (Above 900mm up to ceiling)			WF-T1 (Dado 1200mm coloured tiles with granite beading)	FF-K								CF -P1	MS Rolling shutter powder coated/12mm Thk Toughened Glass Door on floor spring +patch fittings/		
Shops	WF-P1					FF-K								CF -P1	MS Rolling Shutter Powder coated with Mechanical Device		
Kitchen	WF-P1 (Above Tile up to ceiling)				WF-T1 (Dado up to lintel level)				FF-AT					CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish with 450x450 6mm thk glass vision panel.		
Toilets	WF-P1 (Above Tile up to ceiling)				WF-T1 (Dado up to lintel level)				FF-AT					CF -P1	Handicapped Toilet: 35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish Male/FemaleToilet: 30mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish		
Store	WF-P1					FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish		
ATM						FF-K									12mm Thk Toughened Glass Door on floor spring +patch fittings		
Ramp									FF-CT								
NIGHT SHELTER															FRAME: Main door- Powder coated Aluminium extrded section Other Frames-Press steel powder coated tubular box section Single rebate	FRAME: Aluminum Extruded powder coated tubular box section	
GROUND FLOOR																Shutters:	
Entrance lobby	WF-P1					FF-K								CF -P1	Main Entrance Door with Aluminum style & rail powder coated glazed shutter on floor spring	Double shutter with Aluminum powder coated security coated grill between both shutters fixed on frame Room side Shutter : - Aluminum style powder coated shutters with stainless steel grade 304 fly mesh	
Office	WF-P1							FF-VT						CF -P1	35mm thk flush Commercial door finished with both side 1mm thk laminate with vision panel.	Outside Shutter : - Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.	
Self Cooking Area					WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	Main Entrance Lobby & Staircase(G-1 &G-2) - Glazing as per specification/drawing	
Kitchen/ wash area					WF-T1 (Dado up to lintel level)				FF-AT					CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish with 450x450 6mm thk glass vision panel.	Lift Lobby- Fixed Aluminium Glazed Shutter	
Dinning Area					WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1	Dining Area & Service Entrance - Door with Aluminum style & rail powder coated glazed shutter on floor spring		
Ladies / Gents Dormitory		WF-P2			WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish		
Dry Area , Wash Area,					WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1			
GROUND & SECOND FLOOR																	
Ladies / Gents Dormitory		WF-P2			WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish		
Self Cooking Area					WF-T1 (Dado up to lintel level)	FF-K								CF -P1			
Drying Area , Washing Area,					WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1			
THIRD FLOOR																	
Ladies / Gents Dormitory		WF-P2			WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish		
Self Cooking Area					WF-T1 (Dado up to lintel level)	FF-K								CF -P1			

DESCRIPTIONS	WALL FINISHES					FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING								CEILING FINISHES	DOOR	WINDOW
	WF-P1	WF-P2	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-V	FF-M	CF -P1		
Drying Area , Washing Area,					WF-T1 (Dado 900mm with granite beading)	FF-K								CF -P1		
Twin sharing /Sharing Room		WF-P2												CF -P1		
CIRCULATION AND SUPPORT SERVICES																
Lift Lobby (facai of lift wall is polished granite cladding up to 2400mm)	WF-P1			WF-G		FF-K								CF -P1		
Staircase	WF-P1					FF-K (Landing)	FF-K1							CF -P1	Double door GI powder coated 300x300 fire glass vision panel -Fire Door	
Ramp									FF-CT							
Corridor	WF-P1					FF-K								CF -P1		
Electrical /service room	WF-P1					FF-K								CF -P1	GI powder coated fire door	
Male /Female Toilets	WF-P1 (Above tile finish up to ceiling)				WF-T1 (up to lintel level)				FF-AT					CF -P1	Main door: 35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish WC & SH Door: 30mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	
BIO-MEDICAL WASTE																
SOLID WASTE MANAGENT REVICEING																
All Rooms	WF-P1					FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish .	FRAME: Aluminum Extruded powder coated tubular box Shutters(Partly Fixed Openable): Aluminum section powder coated with partly fixed & partly openable Glazing as per spec
Operator Room	WF-P1					FF-K								CF -P1		
Storage /Disposal (tile cladded up to ceiling)					WF-T1	FF-K								CF -P1		
Treatment/Dry / Wet Waste (tile cladded up to ceiling)					WF-T1	FF-K								CF -P1	MS Rolling shutters as per approved specification	
Segregation/Waste Segregation/Garbage Collection (tile cladded up to ceiling)					WF-T1	FF-K								CF -P1		
Electrical Room,	WF-P1					FF-K								CF -P1	GI powder coated fire doors as per NBC 2016	
Ramp									FF-CT							
Toilets	WF-P1 (Above tile finish up to ceiling)				WF-T1 (Dado up to lintel level)				FF-AT						30mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	
FIRE STATION																
Fire Tender	WF-P1					FF-K								CF -P1	Frames-Entry Door- AluminiumFrame. Other door-Pressed Steel Door	FRAME: Aluminum Extruded powder coated tubular box Shutters(Partly Fixed Openable):
Duty Room	WF-P1							FF-VT						CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	Aluminum section powder coated with partly fixed & partly openable Glazing as per spec
Toilet	WF-P1 (Above tile finish up to ceiling)				WF-T1 (Dado up to lintel level)				FF-AT					CF -P1	30mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	
Ramp									FF-CT							
LAUNDRY																
Entrance Lobby	WF-P1										FF-G			CF -P1	Main Entrance : Aluminium Door & Glazed Aluminium Shutter (Powder Coated)	FRAME: Press steel powder coated tubular box section Single rebate FRAME: Aluminum Extruded powder coated tubular box section Shutters(Partly Fixed Openable):
Equipment room ,Detergent Room , (tile cladded up to ceiling)	WF-P1 (Above tile finish up to ceiling)				WF-T1 (Dado up to lintel level)	FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces with 2nd class teak wood lipping /melamine polish (with or without Vision Panel)	Aluminum section powder coated with partly fixed & partly openable Glazing as per spec
Washing Area (tile cladded up to ceiling)						FF-K								CF -P1		
Clean issue Store, Clean Laundry, Decontamination room						FF-K								CF -P1		
Dirty Laundry Receive						FF-K								CF -P1		
Sorting Room, Ironing Room, Packing Room, Drying Room	WF-P1					FF-K								CF -P1		
Ramp									FF-CT							
MORTUARY																
															Entry Door Frame- Powder coated Aluminium. INTERNAL IFRAME(Toilet & other rooms): Press steel Powder coated tubular box section	FRAME: Aluminum Extruded powder coated tubular box section

DESCRIPTIONS	WALL FINISHES					FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING								CEILING FINISHES	DOOR	WINDOW
	WF-P1	WF-P2	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-V	FF-M			
Entrance Lobby	WF-P1					FF-K								CF -P1	Aluminum panel with style & rail powder coated glazed shutter on floor spring	Shutters(Partly Fixed Openable):
Lobby	WF-P1					FF-K								CF -P1	35mm thk half glazed flushed Commercial door finished with 1mm thk laminate on both faces wooden lipping melamine polish	Aluminum section powder coated with partly fixed & partly openable Glazing as per spec
Corridor	WF-P1					FF-K								CF -P1	Half glazed finished with 35mm thick both side Laminates door shutter	
Autopsy Room	WF-P1							FF-VT						CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish	
Support Lab	WF-P1							FF-VT						CF -P1	on both faces wooden lipping melamine polish. Doctor	
Store	WF-P1					FF-K								CF -P1	Room- Same shutter but with vision panel	
Tech. Support ,	WF-P1							FF-VT						CF -P1		
Police Room,	WF-P1							FF-VT						CF -P1		
Identification Room, Grieving Room , Doctor Room	WF-P1							FF-VT						CF -P1		
Facility Manager	WF-P1							FF-VT						CF -P1		
Cadaver Storage	WF-P1					FF-K								CF -P1		
Organ Retrieval ,Embalming	WF-P1							FF-VT						CF -P1		
Washing Area	WF-P1 (Above tile finish up to ceiling)				WF-T1 (Dado up to lintel level)				FF-AT					CF -P1		
Toilet															WC door-30mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish. Main Toilet Door- same as above but with 35mm thk.	
Ramp									FF-CT							
CAFETERIA															FRAME: Main Entrance Door-Aluminum Extruded powder coated tubular box section . Other Frames for Toilet/Kitchen-Pressed steel Powder coated Door	FRAME: Aluminum Extruded powder coated tubular box section
Kitchen	WF-P1 (Above tile finish up to ceiling)				WF-T1 (Dado up to lintel level)	FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish with 450x450 6mm thk glass vision panel.	Shutters(Partly Fixed Openable):
Store						FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	Aluminum section powder coated with partly fixed & partly openable Glazing as per spec
Wash Area						FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	
Toilets									FF-AT					CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish.WC area-30mm thk flush door shutter	
Café			WF-P5 (above Dado level)		WF-T1 (Dado coloured up to 900mm level)			FF-VT						CF -P1	Aluminum panel with style & rail powder coated glazed shutter on floor spring	
Ramp									FF-CT							
SERVICE BUILDING																FRAME: Aluminum Extruded powder coated tubular box section
HVAC Plant room	WF-P1					FF-K								CF -P1	FRAME: Press steel powder coated tubular box section GI powder coated Fire rated Door	Shutters(Partly Fixed Openable): Aluminum section powder coated with partly fixed & partly openable Glazing as per spec
Sub-station 1 & 2	WF-P1					FF-K								CF -P1	GI powder coated Fire rated Door	
Water tank & Pump room	WF-P1					FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	
Ramp									FF-CT							
GUARD ROOM															FRAME: Press steel powder coated tubular box section	
Room	WF-P1					FF-K								CF -P1	35mm thk Factory made flush Commercial door 1mm thk laminate finish on both faces wooden lipping melamine polish	
Toilets	WF-P1 (Above tile finish up to				WF-T1 (Dado up to lintel	FF-K								CF -P1		
Door Hardware	Stainless Steel hinge Handles locks etc.															
Railing																
Ramps	MS Railing (Both Baluster and hand Rail)-Powder Coating															
Staircase and Balcony	MS Railing (Both Baluster and hand Rail)-Powder Coating															
Miscellaneous Items																
Window Pelmet for curtain and blinds	150x150mm Concealed or Exposed pelmet in false ceiling to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms Lobby, lounge and waiting areas															
Counters (as per drawing)	Bathroom Counters,, Hand Wash, Tray Drop- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia Kitchen Counters, Cafe Counter- 50mm thk RCC counter top support with brick base finished with tiles and counter top and 100mm thk facia in 19mm thk Granite with 19mmthk BWP commercial board shutters 1mm thk laminate finish with BWP board shelves, All inside finished with paint															
Granite Cladding	Tile cladding in lift lobby up to 2400mm level all walls															
Tile cladding	Tile cladding in toilets up to lintel level															
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Soap Dispenser, Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)															
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs															
Toilet Fittings	WC, Washbasin, Urinal of approved design and make															

FINISHING SCHEDULE - HOSTEL																		
DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING						CEILING FINISHES	DOOR		WINDOW	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-C	CF -P1			
GROUND FLOOR - NURSE HOSTEL																Frame : Main Entry Door Frame: Aluminum Extruded powder coated tubular box section without rebate All room door Frames : Press steel powder coated tubular box section Single rebate WC & Sh Door Frame: Press steel powder coated tubular box section Single rebate Balcony Door Frame: Press steel powder coated tubular box section Single rebate	Frame : Aluminum Extruded powder coated tubular box section with double rebate	
Entrance Area					WF-P5										CF -P1	Shutter : 1) Main Entry Door: Door with Aluminum style & rail powder coated fully glazed shutter on floor spring	Shutter : Double shutter with Aluminum powder coated security coated grill between both shutters fixed on frame	
Entrance Lobby/waiting area					WF-P5		FF-K								CF -P1	2) Entrance Lobby and Visitor room:- 35 mm thk factory made flushed commercial shutter with vision panel (150mmx1200mm) laminate finish on both surfaces with wooden lipping melamine polish	Out side Shutter : - Aluminum style powder coated shutters with stainless steel grade 304 fly mesh	
Visitor's room					WF-P5				FF-VT						CF -P1	3) Lift Lobby, Corridor, Ramp, Staircase, Electrical room: GI powder coated with fire glass vision panel 300x300 fire rated door	Room side Shutter : - Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.	
Office					WF-P5				FF-VT						CF -P1	4)Toilet WC and SH Doors : 30mm thk Factory made flush door with laminate on both faces wooden lipping melamine polish.		
Luggage room	WF-P1						FF-K								CF -P1	5) Balcony door : Double door: Balcony Side Powder coated MS Framed structure with SS jali & Grill Inside door : 35mm thk Factory made flush door with laminate on both faces wooden lipping melamine polish.		
Nurse Working Area																6) All Rooms:- 35mm thk Factory made flush door with laminate on both faces wooden lipping melamine polish.		
Warden's room					WF-P5				FF-VT						CF -P1	Terrace Door MS panel door painted		
Rooms					WF-P5				FF-VT						CF -P1	Hardware and fittings S.S. Fittings		
Handi. Rooms							WF-T1		FF-VT						CF -P1			
Student Nurse Area																		
Rooms					WF-P5				FF-VT						CF -P1			
FIRST FLOOR - NURSE WORKING																		
Rooms					WF-P5				FF-VT						CF -P1			
Common Room					WF-P5				FF-VT						CF -P1			
Student Nurse Area																		
Rooms					WF-P5				FF-VT						CF -P1			
SECOND FLOOR -- NURSE WORKING																		
Rooms					WF-P5				FF-VT						CF -P1			
Living Room					WF-P5				FF-VT						CF -P1			
Warden Room					WF-P5				FF-VT						CF -P1			
Pantry							WF-T1 (dado up-to lintel level)			FF-AT					CF -P1			
Student Nurse Area									FF-VT									
Rooms					WF-P5										CF -P1			
THIRD FLOOR TO FIFTH - NURSE WORKING																		
Rooms					WF-P5				FF-VT						CF -P1			
Student Nurse Area																		
Rooms					WF-P5				FF-VT						CF -P1			

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING							CEILING FINISHES	DOOR	WINDOW
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	FF-C	CF -P1		
CIRCULATION AND SUPPORT SERVICES																	
Toilets	WF-P1 (Above up to)						WF-T1 (up to lintel level)				FF-AT				CF -P1		
Staircase	WF-P1							FF-K (land ing)	FF-K						CF -P1		
Lift Lobby (cladding up to 2400mm level)	WF-P1					WF-G							FF-G		CF -P1		
Lobby					WF-P5			FF-K							CF -P1		
Corridor		WF-P2						FF-K							CF -P1		
Entrance Ramp	WF-P1											FF-CT			CF -P1		
Electrical room	WF-P1							FF-K							CF -P1		
Ramp												FF-CT					
Railing																	
Ramps	MS powder coated Baluster and Handrail																
Staircase and Balcony	MS powder coated Baluster and Handrail																
Fire Staircase	MS powder coated Baluster and Handrail																
Miscellaneous Items																	
Window Pelmet for curtain and blinds	150x150mm Exposed pelmet to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms, lounge and waiting areas																
Counters (as per drawing)	Bathroom Counters- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia																
Wardrobe (brick and rcc shelves)	25mm thk board shutter both sides 1mm thk laminate finish and hanger rod. Completed in all respect with lock and handle																
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)																
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs																
Tile cladding	Tile cladding in toilets up to lintel level																
Toilet Fittings	WC, Washbasin, Urinal of approved design and make																
Granite Cladding	Tile cladding in lift lobby up to 2400mm level all walls																

FINISHING SCHEDULE - UG HOSTEL

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING						CEILING FINISHES	DOOR		WINDOW	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	CF-P1				
GROUND FLOOR															Frame :	Main Entry Door Frame: Aluminum Extruded powder coated tubular box section without rebate All room door Frames : Press steel powder coated tubular box section Single rebate WC & Sh Door Frame: Press steel powder coated tubular box section Single rebate Balcony Door Frame: Press steel powder coated tubular box section Single rebate Double rebate	Frame :	Aluminum Extruded powder coated tubular box section with double rebate
Entrance Lobby					WF-P5			FF-K						CF-P1	Shutter :	1) Main Entry Door: Door with Aluminum style & rail powder coated fully glazed shutter on floor spring	Shutter :	Double shutter with Aluminum powder coated security coated grill between both shutters fixed on frame
Office's					WF-P5					FF-VT				CF-P1		2) Entrance Lobby and Visitor room:- 35 mm thk factory made flushed commercial shutter with vision panel (150mmx1200mm) laminate finish on both surfaces with wooden lipping melamine polish		Out side Shutter : - Aluminum style powder coated shutters with stainless steel grade 304 fly mesh
Rooms					WF-P5					FF-VT				CF-P1		3) Lift Lobby, Corridor, Ramp, Staircase, Electrical room: GI powder coated with fire glass vision panel 300x300 fire rated door		Room side Shutter : - Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.
Visitor's Room					WF-P5					FF-VT				CF-P1		4) Toilet WC and SH Doors : 30mm thk Factory made flush door with laminate on both faces wooden lipping melamine polish.		
Luggage Room	WF-P1							FF-K						CF-P1		5) Balcony door : Double door: Balcony Side Powder coated MS frmed panel with SS Jali & MS Grill Inside door : 35mm thk Factory made flush door with laminate on both faces wooden lipping melamine polish.		
																6) All Rooms:- 35mm thk Factory made flush door with laminate on both faces wooden lipping melamine polish.		
FIRST FLOOR															Terrace Door	MS panel door painted		
Common Room					WF-P5					FF-VT				CF-P1	Hardware and fittings	S.S. Fittings		
Rooms					WF-P5					FF-VT				CF-P1				
Common Room					WF-P5					FF-VT				CF-P1				
Visitor's Room					WF-P5					FF-VT				CF-P1				
Luggage Room	WF-P1							FF-K						CF-P1				
SECOND FLOOR TO FIFTH FLOOR																		
Rooms					WF-P5					FF-VT				CF-P1				
Visitor's Room					WF-P5					FF-VT				CF-P1				
Luggage Room	WF-P1							FF-K						CF-P1				
CIRCULATION AND SUPPORT SERVICES																		
Staircase	WF-P1							FF-K (Landing)	FF-K1					CF-P1				
Ramp												FF-CT						
Lift Lobby	WF-P1					WF-G							FF-G	CF-P1				
Lobby								FF-K						CF-P1				
Corridor		WF-P2						FF-K						CF-P1				
Toilets	WF-P1 (above tile till ceiling)						WF-T1 (till lintel level)				FF-AT			CF-P1				
Electrical room	WF-P1							FF-K						CF-P1				

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING						CEILING FINISHES	DOOR	WINDOW
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-CT	FF-G	CF-P1		
Railing																
Ramps	MS powder coated Baluster and Handrail															
Staircase and Balcony	MS powder coated Baluster and Handrail															
Fire Staircase	MS powder coated Baluster and Handrail															
Miscellaneous Items																
Window Pelmet for curtain and blinds	150x150mm Exposed pelmet to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms, lounge and waiting areas															
Counters (as per drawing)	Bathroom Counters- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm facia															
Wardrobe	All Rooms - Wardrobes to be 2100mm ht and 600mm deep and length as per drawing and hanger rod. Complete in all respect. 19mm thk Board finished with 1mm thk laminate on back, sides, base and top with shelves and shutter. 25mm thk Shutter finished with laminate both side 1mm thk with Stainless Steel locks and Handle (as per approved sample) and all inside surface and shelves finished with white paint															
Tile cladding	Tile cladding in toilets till lintel level															
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)															
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs															
Toilet Fittings	WC, Washbasin, Urinal of approved design and make															
Granite Cladding	Tile cladding in lift lobby till 2400mm level all walls															

FINISHING SCHEDULE - PG HOSTEL

DESCRIPTIONS	WALL FINISHES								FLOOR FINISHES / 100MM SKRITING SAME AS FLOORING					CEILING FINISHES	DOOR		WINDOW	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-P&F	WF-T1	FF-K	FF-K1	FF-VT	FF-AT	FF-G	CF -P1				
GROUND FLOOR															Frame : Main Entry Door Frame: Aluminium Extruded powder coated tubular box section without rebate All room door Frames : Press steel powder coated tubular box section Single rebate WC & Sh Door Frame: Press steel powder coated tubular box section Single rebate Balcony Door Frame: Press steel powder coated tubular box section Single rebate	Frame :	Aluminium Extruded powder coated tubular box section with double rebate	
Entrance Area/Porch					WF-P5				FF-K					CF -P1	Shutter : 1) Main Entry Door: Door with Aluminium style & rail powder coated fully glazed shutter on floor spring	Shutter :	Double shutter with Aluminium powder coated security coated grill between both shutters fixed on frame	
Reception /waiting area					WF-P5				FF-K					CF -P1	2) Entrance Lobby and Visitor room:- 35 mm thk factory made flushed commercial shutter with vision panel (150mmx1200mm) lamiantie finish on bth surfaces with wooden lippingmalamine polish		Out side Shutter : - Aluminium style powder coated shutters with stainless steel grade 304 fly mesh	
Office's					WF-P5						FF-VT			CF -P1	3) Lift Lobby, Corridor, Ramp, Staircase, Electrical room: GI powder coated with fire glass vision panel 300x300 fire rated door		Room side Shutter : - Aluminium style powder coated shutters with 6mm thk clear glass fixed with Al beading.	
Warden Room/Living Room					WF-P5						FF-VT			CF -P1	4) Toilet WC and SH Doors : 30mm thk Factory made flush door with laminate on both faces wooden lipping malamine polish.			
Room/Living Room					WF-P5						FF-VT			CF -P1	5) Balcony door : Double door: Powder coated MS Framed panel with SS Jali & Grill Inside door : 35mm thk Factory made flush door with laminate on both faces wooden lipping malamine polish.			
Intersation Space					WF-P5				FF-K					CF -P1	6) All Rooms:- 35mm thk Factory made flush door with laminate on both faces wooden lipping malamine polish.			
Visitor's Room					WF-P5						FF-VT			CF -P1	Terrace Door MS panel door painted			
															Hardware and fittings S.S. Fittings			
FIRST FLOOR																		
Room/Living Room					WF-P5						FF-VT			CF -P1				
Common Room					WF-P5						FF-VT			CF -P1				
														CF -P1				
SECOND TO THIRD FLOOR																		
Single Rooms					WF-P5						FF-VT			CF -P1				
														CF -P1				
CIRCULATION AND SUPPORT SERVICES																		
Staircase		WF-P2							FF-K (landin g)	FF-K				CF -P1				
Lift Lobby (facai of lift wall is granite cladding till 2400mm lvl)	WF-P1					WF-G							FF-G	CF -P1				
Corridor	WF-P1 (Till ceiling)								FF-K					CF -P1				
Toilets								WF-T1				FF-AT		CF -P1				
Pantry								WF-T1				FF-AT		CF -P1				
Balcony				WF-P4								FF-AT		CF -P1				
Electrical room	WF-P1								FF-K					CF -P1				
Railing																		
Ramps	MS powder coated Baluster and Handrail																	
Staircase and Balcony	MS powder coated Baluster and Handrail																	
Fire Staircase	MS powder coated Baluster and Handrail																	
Miscellaneous Items																		
Window Pelnets for curtain and blinds	150x150mm Exposed pelmet to be made of commercial board 19mm thk finished with enamel paint to match ceiling paint color. All Offices, Rooms, lounge and waiting areas																	
Counters (as per drawing)	Bathroom Counters- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm fascia																	
Wardrobe	All Rooms - Wardrobes to be 2100mm ht and 600mm deep and length as per drawing and hanger rod. Complete in all respect. 19mm thk Board finished with 1mm thk laminate on back, sides, base and top with shelves and shutter. 25mm thk Shutter finished with laminate both side 1mm thk with Stainless Steel locks and Handle (as per approved sample) and all inside surface and shelves finished with white paint																	
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)																	
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs																	
Tile cladding	Tile cladding in toilets till lintel level																	
Toilet Fittings	WC, Washbasin, Urinal of approved design and make																	
Granite Cladding	Tile cladding in lift lobby till 2400mm level all walls																	

FINISHING SCHEDULE - HOUSING TYPE 2,3 AND 4&5

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKIRTING SAME AS FLOORING							CEILING FINISHES	DOORS FINISHES		WINDOWS FINISHES	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-CT	FF-WL	FF-G	FF-AT	CF -P1				
Types - 2																			
Living/Dining room	WF-P1									FF-VT					CF -P1	External Frame :	Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS Wire Mesh & MS Grill	Frame :	Aluminum Extruded powder coated tubular box section with double rebate
Bed Rooms	WF-P1									FF-VT					CF -P1	Shutter :	1) Main Door and Balcony Door: Double Door	Shutter :	Double shutter with Aluminum powder coated security coated grill between both shutters fixed on frame
Kitchen (counter top finish with polished Granite)							WF-T1(upto full height as per MOUD norms)			FF-VT(Anti-Skid)					CF -P1		Out side Door (Security Door) :- Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS grade 304 fly mesh & MS Grill		Roomside Shutter : - Aluminum style powder coated shutters with stainless steel grade 304 fly mesh
Balcony (100 high skirting + 1050mm high railing)				WF-P4										FF-AT	CF -P1		Room side Door: - 35mm thick laminated Flush (Factory Pressed		Out side Shutter : - Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.
Toilets	WF-P1 (above Tiles)						WF-T1(from Floor & upto 2400mm) as per MOUD norms							FF-AT	CF -P1	Inside Frame :	Press steel powder coated tubular box section Single rebate		
																	2) Room doors: 35mm thick laminated Flush (Factory Pressed with wooden lipping melamine polish		
Circulation																	3)Toilet Doors : 30mm thk factory made flush commercial door 1mm thk laminate finish on both faces with wooden lipping melamine polish		
																	Building Entry Door- Outside-Poweder coated Aluminium frame . Shutter-Aluminium panelled fully glazed shutter		
																	Electrical Rooms-Fire Door Shutter		
Corridor	WF-P1							FF-K							CF -P1	Terrace Door	MS Box Paneled (Powder Coated)		
Staircase	WF-P1 (Above 900mm)						WF-T1 (Till 900mm)	FF-K (Landing)	FF-K1						CF -P1	Hardware and fittings	S.S. Fittings		
Lift Lobby (fascia of lift complete wall - granite cladding)	WF-P1					WF-G		FF-K							CF -P1				
Electrical/ Service Shaft	WF-P1							FF-K							CF -P1				
Types - 3																			
Living/Dining room	WF-P1									FF-VT					CF -P1	External Frame :	Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS Wire Mesh & MS Grill	Frame :	Aluminum Extruded powder coated tubular box section with double rebate
Bed Rooms	WF-P1									FF-VT					CF -P1	Shutter :	1) Main Door and Balcony Door: Double Door	Shutter :	Double shutter with Aluminum powder coated security coated grill between both shutters fixed on frame
Kitchen (counter top finish with polished Granite)							WF-T1(upto full height as per MOUD norms)			FF-VT(Anti-Skid)					CF -P1		Out side Door (Security Door) :- Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS grade 304 fly mesh		Out side Shutter : - Aluminum style powder coated shutters with stainless steel grade 304 fly mesh
Balcony (100 high skirting + 1050mm high railing)				WF-P4										FF-AT	CF -P1		Room side Door: - 35mm thick laminated Flush (Factory Pressed		Room side Shutter : - Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.
Utility	WF-P1							FF-K							CF -P1	Inside Frame :	Press steel powder coated tubular box section Single rebate		
Toilets	WF-P1 (Above Tiles)						WF-T1(from Floor & upto 2400mm) as per MOUD norms							FF-AT	CF -P1		2) Room doors: 35mm thick laminated Flush (Factory Pressed with wooden lipping melamine polish		
																	3)Toilet Doors : 30mm thk factory made flush commercial door 1mm thk laminate finish on both faces with wooden lipping melamine polish		
Circulation															CF -P1	Terrace Door	MS Box Paneled (Powder Coated)		

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKIRTING SAME AS FLOORING							CEILING FINISHES	DOORS FINISHES		WINDOWS FINISHES	
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-CT	FF-WL	FF-G	FF-AT		CF -P1			
Corridor	WF-P1							FF-K							CF -P1	Hardware and fittings	S.S. Fittings		
Staircase	WF-P1 (Above 900mm)						WF-T1 (Till 900mm)	FF-K (Landing)	FF-K1						CF -P1				
Lift Lobby (fascia of lift complete wall - granite cladding)	WF-P1 (on remaining Walls)					WF-G		FF-K							CF -P1				
Electrical/ Service Shaft	WF-P1							FF-K							CF -P1				
Types - 4																			
Drawing room	WF-P1									FF-VT					CF -P1	External Frame :	Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS Wire Mesh & MS Grill	Frame :	Aluminum Extruded powder coated tubular box section with double rebate
Living room	WF-P1									FF-VT					CF -P1	Shutter :	1) Main Door and Balcony Door: Double Door	Shutter :	Double shutter with Aluminum powder coated security coated grill between both shutters fixed on frame
Dinning room	WF-P1									FF-VT					CF -P1		Out side Door (Security Door) :- Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS grade 304 fly mesh		Out side Shutter :- Aluminum style powder coated shutters with stainless steel grade 304 fly mesh
Bed Rooms	WF-P1									FF-VT					CF -P1		Room side Door: - 35mm thick laminated Flush (Factory Pressed		Room side Shutter :- Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.
Kitchen (counter top finish with polished Granite)							WF-T1(upto full height as per MOUD norms)			FF-VT(Anti-Skid)					CF -P1	Inside Frame :	Press steel powder coated tubular box section Single rebate		
Balcony (100 high skirting + 1050mm high railing)				WF-P4										FF-AT	CF -P1		2) Room doors: 35mm thick laminated Flush (Factory Pressed with wooden lipping melamine polish		
Toilets	WF-P1 (above Tiles)						WF-T1(from Floor & upto 2400mm) as per MOUD norms							FF-AT	CF -P1		3)Toilet Doors : 30mm thk factory made flush commercial door 1mm thk laminate finish on both faces with wooden lipping melamine polish		
Circulation																			
Corridor		WF-P2											FF-G		CF -P1	Hardware and fittings	S.S. Fittings		
Staircase	WF-P1												FF-G		CF -P1				
Lift Lobby (fascia of lift complete wall - granite cladding)	WF-P1 (on remaining Walls)					WF-G (only lift wall)							FF-G		CF -P1				
Electrical/ Service Shaft	WF-P1							FF-K							CF -P1				
Types - 5																			
Drawing room	WF-P5									FF-VT					CF -P1	External Frame :	Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS Wire Mesh & MS Grill	Frame :	Aluminum Extruded powder coated tubular box section with double rebate
Living room	WF-P5									FF-VT					CF -P1	Shutter :	1) Main Door and Balcony Door: Double Door	Shutter :	Double shutter with Aluminum powder coated security coated grill between both shutters fixed on frame
Dinning room	WF-P5									FF-VT					CF -P1		Out side Door (Security Door) :- Pressed Steel Door Frame (Powder coated) must have double rebates for fixing MS Box frame shutter (Powder Coated) with SS grade 304 fly mesh		Out side Shutter :- Aluminum style powder coated shutters with stainless steel grade 304 fly mesh
Master Bedroom	WF-P5											FF-WL			CF -P1		Room side Door: - 35mm thick laminated Flush (Factory Pressed		Room side Shutter :- Aluminum style powder coated shutters with 6mm thk clear glass fixed with Al beading.
Bed Rooms	WF-P5									FF-VT					CF -P1	Inside Frame :	Press steel powder coated tubular box section Single rebate		

DESCRIPTIONS	WALL FINISHES							FLOOR FINISHES / 100MM SKIRTING SAME AS FLOORING							CEILING FINISHES	DOORS FINISHES		WINDOWS FINISHES		
	WF-P1	WF-P2	WF-P3	WF-P4	WF-P5	WF-G	WF-T1	FF-K	FF-K1	FF-VT	FF-CT	FF-WL	FF-G	FF-AT		CF -P1				
Kitchen (counter top finish with polished granite)							WF-T1(upto full height as per MOUD norms)			FF-VT(Anti-Skid)					CF -P1		2) Room doors: 35mm thick laminated Flush (Factory Pressed with wooden lipping melamine polish			
Balcony (100 high skirting + 1050mm high railing)				WF-P4										FF-AT	CF -P1		3)Toilet Doors : 30mm thk factory made flush commercial door 1mm thk laminate finish on both faces with wooden lipping melamine polish			
Toilets							WF-T1(from Floor & upto 2400mm) as per MOUD norms							FF-AT	CF -P1	Terrace Door	MS Box Paneled (Powder Coated)			
Servant room	WF-P1 (above Tiles)							FF-K							CF -P1	Hardware and fittings	S.S. Fittings			
Servant' s room Toilet	WF-P1 (above Tiles)						WF-T1 (Till Lintel level)	FF-K							CF -P1					
															CF -P1					
Circulation																				
Corridor		WF-P2											FF-G		CF -P1					
Staircase	WF-P1												FF-G		CF -P1					
Lift Lobby (fascia of lift complete wall - granite cladding)	WF-P1 (on remaining Walls)					WF-G (only lift wall)							FF-G		CF -P1					
Electrical/ Service Shaft	WF-P1							FF-K							CF -P1					
Ramps											FF-CT									
Railing																				
Ramps	MS powder coated Baluster and Handrail																			
Staircase and balcony	MS powder coated Baluster and Handrail																			
Fire Staircase	MS powder coated Baluster and Handrail																			
Miscellaneous Items																				
Window Pelmet for curtain and blinds	Drapery rods on all windows/ doors in all rooms except kitchen, Toilets/ bath/WC																			
Counters (as per drawing)	Bathroom Counters- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm fascia Kitchen Counters- 50mm thk RCC cantilevered slab counter finished with 19mm thk Granite top and 100mm fascia with under counter storage shutter in BWP board 25mm thk both side laminate finish and rcc shelve, Overhead storage in rcc shelve																			
Wardrobe	All Rooms - Wardrobes to be 2100mm ht and 600mm deep and length as per drawing and hanger rod. Complete in all respect. 19mm thk Board finished with 1mm thk laminate on back, sides, base and top with shelves and shutter. 25mm thk Shutter finished with laminate both side 1mm thk with Stainless Steel locks and Handle (as per approved sample) and all inside surface and shelves finished with white paint																			
Tile cladding	Tile cladding in toilets till lintel level																			
Toilet Accessories (All in Stainless Steel) (As per approved sample)	Towel Rod, Towel Ring, Health Faucet, Ablution Tap, Basin Mixer, Shower, Drain, Angle valves, P-Trap, Concealed Cistern with Flush valves, Diverter Mixer Tap, Grab Rail (for Patient Room toilets and Handicap toilets)																			
Wash basin Mirror In Toilets	6mm thk Clear looking Mirror with 12mm thk BWP ply paint finish fixed SS flat button studs																			
Toilet Fittings	WC, Washbasin, Urinal of approved design and make																			