

Bid Document

Bid Details	
Bid End Date/Time	21-09-2020 17:00:00
Bid Opening Date/Time	21-09-2020 17:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	65 (Days)
Ministry/State Name	Ministry Of Health And Family Welfare
Department Name	Department Of Health And Family Welfare
Organisation Name	HII Infra Tech Services Limited
Office Name	Hites
Total Quantity	1000000
Item Category	Primer, Probe and Master Mix Combo Test Kit for COVID-19
Bidder Turnover (Last 3 Years)	65 Lakh (s)
Experience Criteria	3 Year (s)
MSE Exemption for Years Of Experience and Turnover	Yes
Startup Exemption for Years Of Experience and Turnover	Yes
Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance	10 %
Bid to RA enabled	No
Inspection Required	Yes
Inspection to be carried out by Buyers own empanelled agency	Yes
Type Of Inspection	Post Dispatch
Name of the Empanelled Inspection Agency/ Authority	Board of Officers
Estimated Bid Value	65000000

EMD Detail

Advisory Bank	HDFC Bank
EMD Percentage(%)	2.00
EMD Amount	1300000

ePBG Detail

Advisory Bank	HDFC Bank
ePBG Percentage(%)	5.00
Duration of ePBG required (Months).	14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

Beneficiary:

CEO HITES

HITES, Department of Health and Family Welfare, HLL INFRA TECH SERVICES Limited, Ministry of Health and Family Welfare

(Sanjai Kumar Agrawal)

Splitting

Bid splitting not applied.

1. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of years as indicated in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

2. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one year) to be submitted along with bid in support of quantity supplied in the relevant year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

Pre-Bid Date and Time	Pre-Bid Venue
07-09-2020 15:00:00	Link for joining Video Conference shall be uploaded in http://hllhites.com/

Primer, Probe And Master Mix Combo Test Kit For COVID-19 (100000 Test)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERAL FEATURES	Product description	Primer, Probe and Master mix Combo Test Kit for COVID-19	*
SPECIFICATION FOR PRIMER AND PROBE COMBO FOR COVID-19 TESTING	Quality Check	Primer and probes are thoroughly quality checked. Labelled probes are QC checked by Mass Spectrometry	*

	Primer form	Primers provided in lyophilised form along with data sheet	*
	Guaranteed Yield	The unit size quote is based on the minimum amount delivered, not on synthesis starting amount	*
	Type of primer	Desalted (A salt-free DNA solution) ready-to-use and suitable for variety of applications, including PCR	*
	Compositions of the probes	Probes are based on TaqMan chemistry, labelled at 5'end with FAM, VIC, Texas Red, Cy5 or any other equivalent reporter dyes having clear spectral separation along with compatible non-fluorescent quenchers at 3'end	*
	Dye	Minimum of three dyes multiplex detection in single tube should have at least 2 genes of the following: E/ORF/RdRP/N/S genes of SARS-CoV-2, along with human housekeeping gene or exogenous control as the internal control. Probe for each gene should have separate dye/fluorophore so that the result for each gene can be read individually	*
	Type of Quencher used in Probe	Quencher used in Probe is non-fluorescent in nature in order to ensure less background noise	*
SPECIFICATION OF MASTER MIX FOR COVID-19 TESTING	Type	The enzyme system is one step reverse transcription-Real Time PCR (RT-q PCR) useful for both qualitative and quantitative detection of RNA in sample by Taqman qRT-PCR	*
	Sensitivity	Master mix perform with high sensitivity up to 1 to 10 pg of RNA	*
	Exonuclease activity of enzyme	Enzyme have 5' exonuclease activity	*
	Enzyme combination	The enzyme combination i.e. Reverse Transcriptase and DNA Polymerase shall have tolerance for PCR inhibitors	*
	Activation mechanism of Enzyme	Hot start activation mechanism for high sensitivity, specificity, and room temperature setup	*
	Number of gene targets	The Master mix allow for multiplexing of at least 3 gene targets and it is compatible with major and	*

		commonly available real time PCR platforms, with and without Passive dye	
	Cycling conditions or run time	Cycling conditions or Run time is standard or fast	*
COMMON SPECIFICATIONS FOR PRIMER, PROBE AND MASTER MIX FOR COVID-19 TESTING	Primers, Probes & Master mix should be from same brand/vendor to avoid compatibility issues during the run	Yes	*
	Combination of Primer, Probe and Master mix should work optimally with commonly available brands of real time PCR system such as ABL, Bio-Rad, strata gene, Rotor gene etc	Yes	*
	The combination of Primer, Probe and Master mix should be available for pre check for feasibility/ workability by providing the samples for validation at ICMR-NIV Pune before the formal order is released	Yes	*
	Supplier should provide telephonic/ application technical support	Yes	*
	There should not be any lot to lot variation in the performance of Primer, Probe and Master mix	Yes	*
	PACKAGING	Pack size	1000 Reactions
CERTIFICATIONS & REPORTS	The kit approved from the statutory authority in its country of origin	Yes	*
	Imported kits registered and licensed in India by DCGI & Indigenous manufactured kits licensed by the authority defined under Drugs and Cosmetics act 1940 and Medical Devices Rules, 2017 as amended till date	Yes	*
	Availability of certificate/License from the Drugs Controller General of India (DCGI) for import (in case of imported kits) and marketing of the intended item	Yes	*
	Valid Drug License number	-	*
	Type of Test report available of each batch	In house Test report from the manufacturer	*

	of the product to prove the conformity to the declared specification		
	Manufacturer facility certifications	ISO:13485 (Latest),ISO:9001 (Latest)	*
	Product certifications/ approval	Evaluated and validated by ICMR-NIV Pune or any other ICMR validation centre	*
	Submission of all required certifications, licenses, test reports and any other specific certification requirement as imposed by country of origin to the buyer at the time of bidding in case of bidding/ at the time of supply in case of direct order	Yes	*
SHELF LIFE	Shelf life from the date of manufacture in months (minimum)	12	*
	Minimum shelf life of the product at the time of delivery to the consignee	3/4 th of total shelf life	*
ADVANCE SAMPLE	Agree to provide advance sample of the product for buyer's approval before commencement of supply in case of bidding	Yes	*
ADDITIONAL REQUIREMENT	Additional requirement	NA	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Arundhati Kandwal	201307,B 14A, Sector 62, Noida	1000000	30

Bid Specific Additional Terms and Conditions

- 1.Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to

- Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
2. Make in India specific authorisation certificate needs to be enclosed.
 3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.
 4. If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
 5. **Upload Manufacturer authorization:** Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.
 6. Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.
 7. The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.
 8. Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
 9. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.
 10. Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.
 11. **OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.
 12. **WORLD BANK TERMS AND CONDITIONS:** Special Terms and Conditions as defined by world bank at [click here](#) will also be applicable. **APPLICABLE ONLY IN CASE OF WORLD BANK FUNDED PROJECTS.**
 13. Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
 - i) The Seller fails to comply with any material term of the Contract.
 - ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
 - iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
 - iv) The Seller becomes bankrupt or goes into liquidation.
 - v) The Seller makes a general assignment for the benefit of creditors.
 - vi) A receiver is appointed for any substantial property owned by the Seller.
 - vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

[This Bid is also governed by the General Terms and Conditions](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---