

### Amendment no. 3

**Sub: Technical Specification Amendment for the tender of Mother & Child Block -AIIMS , New Delhi-110029.**

**Ref.: GeM Bid No GEM/2022/B/2577420 Dated: 26-09-2022 for item 'Basic Wall Mount Anaesthesia Machine (Qty: 18 nos.)'**

The following changes are being incorporated in the above referred GeM Bid Number only.

Sr. No.	Buyer uploaded ATC document Page & Para	TENDER SPECIFICATION	READ AS
1	Pg 1 Para 5	Digital display of pressure value for cylinder and pipeline pressure.	Digital display of pressure <b>values of connected gas source</b>
2	Pg 2 Para 6	Monitor should have minimum 240 Hrs of graphical and tabular trends and minimum 2hrs of online trend. The graphical & tabular trend should be seen simultaneously.	Monitor should have minimum <b>168</b> Hrs of graphical and tabular trends. The graphical & tabular trend should be seen simultaneously.

**Important Note:**

1. Prospective Bidders are advised to check the GeM Portal regularly prior to the closing date and time of online submission of bid.
2. The Bid Security/EMD shall be valid for 110 days from Techno – Commercial Tender opening date. The techno-commercial tender opening date shall be considered as mentioned in bid document read with it's amendment(s), if any.
3. In reference to the extension of bid opening date as mention on GeM portal, Participating bidders, who are submitting their Bid security/EMD in the form of Bank Guarantee (BG) or FDR are instructed to extend the validity of their BG/FDR accordingly, i.e. required validity of EMD is to be kept in line with the extended bid opening date.
4. Traders/resellers/distributors/authorized agents will not be considered for availing benefits under PP Policy 2012 for MSEs as per MSE guidelines issued by MoMSME
5. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through **GeM portal only**.