

## Amendment No. 3

**16.05.2023**

### **Sub: Amendment to the Bidding Document**

### **Ref.: Mother & Child Block-AIIMS GeM tenders for items related to Various Medical Equipment.**

The following changes have been authorised and are being incorporated in the above below referred GeM Bid Documents:

Sl. No	List of Tenders	Qty.	Department	GeM Bid Number	Existing		Amended as	
					Bid End Date/Time	Bid Opening Date/Time	Bid End Date/Time	Bid Opening Date/Time
1	Bio-Hazard Safety Cabinet with Laminar Flow	12	Ped. Medicine	GEM/2023/B/3224716	04-05-2023 @15:00	04-05-2023 @ 15:30	<b>29-05-2023 @15:00</b>	<b>29-05-2023 @15:30</b>
2	Data Server	2	Ped. Medicine	GEM/2023/B/3229442	04-05-2023 @15:00	04-05-2023 @ 15:30	<b>29-05-2023 @15:00</b>	<b>29-05-2023 @15:30</b>
3	Fluorescence based Immunoassay platform for Newborn Screening	1	Ped. Medicine	GEM/2023/B/3229623	04-05-2023 @15:00	04-05-2023 @ 15:30	<b>29-05-2023 @15:00</b>	<b>29-05-2023 @15:30</b>
4	Chromosomal Micro-Array system	1	Ped. Medicine	GEM/2023/B/3229955	04-05-2023 @15:00	04-05-2023 @ 15:30	<b>29-05-2023 @15:00</b>	<b>29-05-2023 @15:30</b>
5	Heated humidified high flow nasal cannula Device	4	Ped. Medicine	GEM/2023/B/3231997	04-05-2023 @15:00	04-05-2023 @ 15:30	<b>29-05-2023 @15:00</b>	<b>29-05-2023 @15:30</b>
6	Over head warmers	20	Ped. Medicine	GEM/2023/B/3233074	04-05-2023 @15:00	04-05-2023 @ 15:30	<b>29-05-2023 @15:00</b>	<b>29-05-2023 @15:30</b>

### **Important Note:**

1. Prospective Bidders are advised to check the GeM Portal regularly prior to the closing date and time of online submission of bid.
2. The Bid Security/EMD shall be valid for 110 days from Techno – Commercial Tender opening date. The techno-commercial tender opening date shall be considered as mentioned in bid document read with it's amendment(s), if any.
3. In reference to the extension of bid opening date as mention on GeM portal, Participating bidders, who are submitting their Bid security/EMD in the form of Bank Guarantee (BG) or FDR are instructed to extend the validity of their BG/FDR accordingly, i.e. required validity of EMD is to be kept in line with the extended bid opening date.
4. Traders/resellers/distributors/authorized agents will not be considered for availing benefits under PP Policy 2012 for MSEs as per MSE guidelines issued by MoMSME
5. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through **GeM portal only**.