

Amendment No. 6

Sub: Amendment to the referred tender enquiry.

Ref.: HITES/PCD/AIIMS-IV/102/23-24, dated 02.12.2023.

The following changes are being incorporated in the above referred Tender Enquiry Document.

Tender ID 2023_HITE_176499_1

The following changes are being incorporated in the above referred Tender Enquiry Document.

Amendment to the Technical Specifications

Para No.	Current Technical Specification	Amended as
Page No 45, 2 (iii)	The PET scanner should employ non-hygroscopic high light yield and low decay time crystals for detecting 511 KeV gamma photons in coincidence”	The PET scanner should employ non-hygroscopic high light yield (80%) and low decay time Lutetium based crystals for detecting 511 KeV gamma photons in coincidence
NA	Additional Requirement	Added Para : The wall and floor material in PET CT Gantry room should be as per AERB guidelines.

Tender timeline:

Existing:

Sl. No.	Description	Schedule
a.	Closing date & time for submission of online bids	01.02.2024, 14:00 Hrs.
b.	Closing date & time for submission of tender processing fee and EMD in physical form*	02.02.2024, 14:00 Hrs.
c.	Time and date of opening of online bids	02.02.2024, 14:30 Hrs.

Read as:

Sl. No.	Description	Schedule
a.	Closing date & time for submission of online bids	15.02.2024, 14:00 Hrs.
b.	Closing date & time for submission of tender processing fee and EMD in physical form*	16.02.2024, 14:00 Hrs.
c.	Time and date of opening of online bids	16.02.2024, 14:30 Hrs.

All other contents of the Tender enquiry including terms & conditions remain unaltered.

Note:

I. Prospective Bidders are also advised to check the website regularly prior to the closing date and time of online submission of bids.

II. In reference to the extension of bid opening date, participating bidders, who had submitted or are submitting their Bid security/EMD in the form of Bank Guarantee (BG) or FDR are instructed to extend the validity of their BG/FDR accordingly, i.e. required validity of EMD is to be kept in line with the extended bid opening date.