

Details of Tenders floated on GeM portal by HITES for procurement of different M&E items for and on behalf of MCH, AIIMS-New Delhi

Sl. No	List of Tenders	Qty.	GeM Bid Number	Tender Floated on	Pre-bid Meeting
1	High Frequency Ventilator (Oscillator) (PICU)	2	GEM/2022/B/2573846	24.09.2022	30.09.2022
2	High Frequency Ventilator (NICU)	1	GEM/2022/B/2575529	24.09.2022	30.09.2022
3	Heavy Duty Ultrasonic Nebulizer	41	GEM/2022/B/2574025	24.09.2022	30.09.2022
4	Pulse Oximeter	70	GEM/2022/B/2574936	24.09.2022	30.09.2022
5	Weighing Scales - Infants	20	GEM/2022/B/2574076	24.09.2022	30.09.2022
6	Weighing Scales - Pediatrics	19	GEM/2022/B/2574130	24.09.2022	30.09.2022
7	Pediatric Ward Beds	100	GEM/2022/B/2575085	24.09.2022	30.09.2022
8	Radiant Warmer (Stand-alone with Bassinet)	14	GEM/2022/B/2575138	24.09.2022	30.09.2022
9	Radiant Warmer with Resuscitation Trolley	10	GEM/2022/B/2575240	24.09.2022	30.09.2022
10	Radiant Warmer-cum-Incubator (Convertible Unit)	8	GEM/2022/B/2575280	24.09.2022	30.09.2022
11	Bubble CPAP Machine	15	GEM/2022/B/2575333	24.09.2022	30.09.2022
12	Neonatal Incubator	16	GEM/2022/B/2575366	24.09.2022	30.09.2022
13	Neonatal Transport Incubator	3	GEM/2022/B/2575405	24.09.2022	30.09.2022
14	Inhaled Nitric Oxide Delivery System	2	GEM/2022/B/2574247	24.09.2022	30.09.2022
15	Therapeutic Hypothermia (Whole body cooling device)	1	GEM/2022/B/2574489	24.09.2022	30.09.2022
16	Breast Pumps - Heavy Duty	10	GEM/2022/B/2574822	24.09.2022	30.09.2022
17	Phototherapy Units	30	GEM/2022/B/2575442	24.09.2022	30.09.2022
18	Air-Oxygen Blender	10	GEM/2022/B/2574855	24.09.2022	30.09.2022
19	Low Fidelity Mannequin	10	GEM/2022/B/2574904	24.09.2022	30.09.2022
20	Heated, Humidified, High Flow Nasal Cannula (HHHFNC)	10	GEM/2022/B/2575469	24.09.2022	30.09.2022
21	Portable ECMO	1	GEM/2022/B/2575490	24.09.2022	30.09.2022

Important Note:

1. Intending bidder are advised to visit <https://gem.gov.in/> and/or <https://hllhites.com/> to download the complete Bid Documents.
2. At any time prior to the deadline for submission of bids, the purchaser may, for any reason deemed fit by it, modify the Bid Document by issuing suitable Corrigendum to it. Corrigendum will be notified through GeM portal only. Hence, prospective bidders are advised to browse the websites <https://gem.gov.in/> and <https://hllhites.com/> regularly.
3. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through GeM portal only.