

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687731111119

Generated Date | अनुबंध तिथि: 22-Dec-2023

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप : Central PSU Ministry मंत्रालय : Ministry of Health and Family Welfare Department विभाग : Department of Health and Family Welfare Organisation Name संगठन का नाम : HLL INFRA TECH SERVICES Limited Office Zone कार्यालय क्षेत्र : HITES	Designation पद : DMPCD2 Contact No. संपर्क नंबर : 0120-4071500-571 Email ID ईमेल आईडी : buycon7.hitsl.up@gembuyer.in GSTIN जीएसटीआईएन : - Address पता : For and on behalf of AIIMS Guwahati, 7th Floor, East Point Tower, Bamunimaidam, Guwahati, Assam 781021, KAMRUP, ASSAM-781021, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति : No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम : Head(PCD) Designation of Financial Approval वित्तीय अनुमोदन का पदनाम : AVP(Finance-II)	Role : PAO Payment Mode भुगतान का तरीका : Offline Designation पद : Manager Email ID ईमेल आईडी : pao1.hitsl.up@gembuyer.in GSTIN जीएसटीआईएन : - Address पता : B 14A, Sector 62, Noida, Gautam Buddha nagar, UTTAR PRADESH-201307, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी : A36A180000122446 Company Name कंपनी का नाम : M.K.SCIENTIFIC INSTRUMENTS Contact No. संपर्क नंबर : 08860571856 Email ID ईमेल आईडी : mksidelhi@gmail.com Address पता : Plot No-430, Kh. No. 143, Ground Floor, Gali No. 8,,Industrial Area, Lal Dora EXTN.,Village Kanjhawla,, North West delhi, DELHI-110081, - MSME Registration number एमएसएमई पंजीकरण संख्या : UDYAM-DL-06-0032809 MSE Social Category एमएसई सामाजिक श्रेणी : SC MSE Gender एमएसई लिंग श्रेणी : Male GSTIN जीएसटीआईएन : 07AJYPB7921L1ZM	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : Pathology Department GST- 37AAHAA4036G1ZY Contact Person: Dr. Prudhvinath Reddy Mail: drprudhvi@aiimsmangalagiri.edu.in Mr Prabhakar (BME) -9717865428 MrDijomon(BME)-9150586349

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR) में सभी शुल्क और कर सहित
1	Product Name उत्पाद का नाम : M. K. SCIENTIFIC INSTRUMENTS Autoclave Brand ब्रांड : M. K. SCIENTIFIC INSTRUMENTS Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Autoclave (ICMR Specs) (Q3) Model मॉडल : MKSI-138-B HSN Code एचएसएन कोड : HSN not specified by seller	1	pieces	137,785	NA	137,785
Total Order Value कुल ऑर्डर मूल्य (in INR)						137,785

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
	Designation पद : Manager Email ID ईमेल आईडी : buycon6.hitsl.up@gembuyer.in					

1	Contact संपर्क : 0120-4071500-529 GSTIN जीएसटीआईएन : - Address पता : For and on behalf of AIIMS Manglagiri, Kondayya Road, Mangalagiri, Andhra Pradesh 522502, GUNTUR, ANDHRA PRADESH-522502, India	M. K. SCIENTIFIC INSTRUMENTS Autoclave	-	1	22-Dec-2023	06-Jan-2024
---	---	--	---	---	-------------	-------------

Product Specification for M. K. SCIENTIFIC INSTRUMENTS Autoclave

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Configuration	Type	Vertical, Top loading cylindrical Autoclave machine for steam and pressure sterilization
	Sterilizer chamber capacity in L (usable volume)	80 - 100 liter
	Sterilizer Chamber Type	Circular
	Steriliser chamber material	Double walled SS 304 or higher grade steel
	Working Pressure of Chamber	20 pound per sqare inch
	Type of Sterilizer Chamber Door	Heavy duty SS 304, Hinged door
	Steriliser Chamber door Locking facility	Foot operated locking and unlocking radial system
	Sterilizer Chamber door Operation:	Manual
	Door sealing:	By neoprene Rubber Gasket
	Type of control system available for Steriliser cycle operation:	Microprocessor based temperature controller with control accuracy $\pm 1.0^{\circ}\text{C}$
	Power supply:	230 \pm 10 volt, 50 Hz
	Audio- visual Alarm facility available for notifying:	Cut off automatically when the autoclave is dry
	Working Temperature	125 degree Celsius
	Resolution	0.1 $^{\circ}\text{C}$
	Range of Pressure Gauge	30 pound per sqare inch
Controller	Auto set to 15psi & 121 $^{\circ}\text{C}$	
Overall Size	Overall Height:	600 millimeter
	Overall Diameter	400 millimeter
Accessories, Consumables & Warranty	Accessories	Water level indicator,Water inlet & outlet valves,Automatic pressure control switch,Mechanical timer,Manual Water Filling & Removal,The unit having a wet heater fitted at the bottom and with capacity more than 4500 W with water capacity in litres more than 120 L,The unit have heater fitted at the bottom and with capacity of more than 3 KW,The unit have heater fitted at the bottom and with capacity of more than 4 KW,The unit have heater fitted at the bottom and with capacity of more than 6 KW,The unit have heater fitted at the bottom and with capacity of more than 9 KW,NA
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5 year
Quality and Certifications	Compliance of Chamber	Chamber Pressure Equipment Directives (PED),EN 13445 norms
	Quality Compliance available for quality systems	ISO 9001:2000,EN ISO 13485:2003,ISO 14001:2004
	Compliance to certification (US FDA/CE certification will be accepted only when the Indian standards/certification like BIS/CDSO/AERB are not available)	CE

Note | टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Terms and Conditions | नियम और शर्तें

1. Special terms and conditions- Version:1 effective from 06-01-2023

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 11. Software: All software updates should be provided free of cost during warranty period.
 12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।