

**Details of Tenders floated on GeM portal by HITES for procurement of different M&E items for and on behalf of National Institute of Ayurveda, Jaipur**

Sl. No.	Item Description	Name of Department	Prebid date
30	Supply and Installation of Pneumatic Piston Filler Machine Block Type	Pharmacy	08.06.2022
31	Supply and Installation of Automatic Capsule Filling Machine		08.06.2022
32	Supply and Installation of Ribbon Blender 4000 Liters (2000 Kg.) SS 316 GMP Model		08.06.2022
33	Supply and Installation of Automatic Volumetric 4 Head Pharma Liquid Filling Machine GMP Model		08.06.2022
34	Automatic Collar Type Form-fill and Seal Machine with Servo Driven Auger Filler		08.06.2022
35	End Runner (GMP Model)		08.06.2022
36	End Runner SS-316		08.06.2022
37	Stainless Steel Trays SS-316		08.06.2022
38	High resolution standardized full face photography for treatment and documentation		Dravyaguna
39	Skin elasticity measurement device with probes	08.06.2022	
40	DANDRUFF METER	08.06.2022	
41	Fractional Exhaled Nitric Oxide Measurement Apparatus	Kaya Chikitsa	08.06.2022
42	Treadmill Machine (TMT)		08.06.2022
43	ICP-MS (Inductive Couple Plasma-Mass Spectroscopy)	Rasa Shastra	09.06.2022
44	HPTLC (High Performance Thin Layer Liquid Chromatography)		09.06.2022
45	FTIR (Fourier Transform Infrared Spectroscopy)		09.06.2022
46	Stability Chamber		09.06.2022
47	Microscope Trinocular with PC and Camera		09.06.2022
48	Tablet Disintegration Apparatus		09.06.2022
50	Cryotherapy Unit	Panchakarma	09.06.2022
51	Shock-Wave Therapy		09.06.2022
52	Fully Automated Immonoassay Analyser	Central Laboratory	09.06.2022
53	Fully Automated HbA1C/HPLC Analyser		09.06.2022

**Note:** The Link for joining the Pre-bid meeting is provided in the GeM bidding document

**Important Note:**

1. Intending bidder are advised to visit <https://gem.gov.in/> and/or <https://hllhites.com/> to download the complete Bid Documents.
2. At any time prior to the deadline for submission of bids, the purchaser may, for any reason deemed fit by it, modify the Bid Document by issuing suitable Corrigendum to it. Corrigendum will be notified through GeM portal only. Hence, prospective bidders are advised to browse the websites <https://gem.gov.in/> and <https://hllhites.com/> regularly.
3. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through GeM portal only.