

Details of Tenders floated on GeM portal by HITES for procurement of different M&E items for and on behalf of MCH, AIIMS-New Delhi

Sl. No	List of Tenders	Qty.	GeM Bid Number	Tender Floated on	Date of Pre-bid Meeting
1	pH Meter (IVF Grade)	1	GEM/2022/B/2064891	24-03-2022	12-04-2022
2	Zoom Stereomicroscope with attached camera and monitor (IVF Grade)	2	GEM/2022/B/2065012	24-03-2022	12-04-2022
3	Pipettes of different volumes (20-200µl, 100-1000µl, 5-50µl) (IVF Grade)	5	GEM/2022/B/2065111	24-03-2022	12-04-2022
4	Stripper Handles with stainless steel holder (IVF Grade)	20	GEM/2022/B/2065217	24-03-2022	12-04-2022
5	Micromanipulator + Inverted Microscope with attached high quality camera and monitor and Imported CE certified Anti Vibrational Tables (IVF Grade)	2	GEM/2022/B/2065286	24-03-2022	12-04-2022
6	Mini Co2 Incubator (IVF Grade)	2	GEM/2022/B/2065979	24-03-2022	12-04-2022
7	Stacking System for existing Incubator (IVF Grade)	3	GEM/2022/B/2066066	24-03-2022	12-04-2022
8	Bench Top Incubator with stacker (IVF Grade)	3	GEM/2022/B/2066157	24-03-2022	12-04-2022
9	Antivibration table (IVF Grade)	2	GEM/2022/B/2066235	24-03-2022	12-04-2022
10	RI witness system (IVF Grade)	1	GEM/2022/B/2067772	25-03-2022	12-04-2022
11	Plasma Sterilizer	2	GEM/2022/B/2067851	25-03-2022	12-04-2022
12	Full High-Definition 3D-4K Laparoscopy System along with Deflectable Chip on Tip Laparoscope	1	GEM/2022/B/2067991	25-03-2022	12-04-2022
13	Full HD Operating Laparoscopy System with accessories for fetoscopy and tubal ligation	2	GEM/2022/B/2068352	25-03-2022	12-04-2022

Sl. No	List of Tenders	Qty.	GeM Bid Number	Tender Floated on	Date of Pre-bid Meeting
14	Advance bipolar and ultrasonic energy generator	5	GEM/2022/B/2068415	25-03-2022	12-04-2022
15	Advanced electro surgical unit with vessel fusion	4	GEM/2022/B/2068503	25-03-2022	12-04-2022

Important Note:

1. Intending bidder are advised to visit <https://gem.gov.in/> and/or <https://hllhites.com/> to download the complete Bid Documents.
2. At any time prior to the deadline for submission of bids, the purchaser may, for any reason deemed fit by it, modify the Bid Document by issuing suitable Corrigendum to it. Corrigendum will be notified through GeM portal only. Hence, prospective bidders are advised to browse the websites <https://gem.gov.in/> and <https://hllhites.com/> regularly.
3. Bidders shall ensure that their tender(s), complete in all respects, are submitted online through **GeM portal only**.